



Tel: 01656 776222 Fax: 01656 776220  
Email: ordersuk@invacare.com  
Online Spares available at www.invacare.co.uk

JANUARY 2019

Customer Ref:	Account No:
Contact No:	Order No:
Delivery Address:	Order Qty:
	Order Date:

**Invacare® Action<sup>3</sup> Junior Small**  
RETAIL  
Max User Weight 80Kg (12.5 stone)

**Standard Features**



- Self Propulsion or Transit Propulsion
- Choice of 4 Seat Widths 205mm to 280mm
- Choice of 3 Seat Depths (Depth Adjustable Upholstery)
- Choice of 3 Seat Heights 410mm to 460mm
- Nylon Upholstery
- Folding Backrest, Delivered at 370mm
- Width and Height Adjustable Backrest Upholstery (Sling Type)
- 80° Detachable Legrest Hangers
- Flip Up, Angle and Depth Adjustable Footplates
- Removable and Height Adjustable Desk Armrests
- Choice of 7 Standard Colours (with 8 Special Colour options)
- Adjustable heel straps
- Push or Pull to Lock Brakes (configuration dependant)
- Transportation Kit and Buckle Belt
- User tool kit



**Standard Base Price: £539**

\* Configurations may vary to the image shown

	<input checked="" type="checkbox"/>	Please make your selection with a cross in the box	◆ Standard feature	○ Free of charge (NC: 9999) Non-compatibilities
	→	Customer weight =	Kg	
<b>Code</b>		<b>Description</b>	<b>NC's (Non Conformance)</b>	<b>RETAIL</b>
<b>MODEL</b>				
CNC0001	<input checked="" type="checkbox"/>	ACTION <sup>3</sup> JUNIOR		£539
CNCSPEC		ACTION 3 JR Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM		
<b>PROPULSION TYPE</b>				
CNC0100		SELF PROPULSION	(NC : 1110, 1170)	<input type="checkbox"/>
CNC0110		TRANSIT PROPULSION (SEAT ANGLE 1.5° ONLY) OPTION INCLUDES BUILT IN TIPPING LEVERS	(NC : 0270, 0280, 1060, 1070, 1075, 1090, 1180, 1190, 1195, 1275, 1390, 1430, 1440)	<input type="checkbox"/>
<b>SEAT</b>				
<b>SEAT WIDTH</b>				
CNC0140		205mm SEAT WIDTH (8") INCLUDING STABILISER KIT (ONE PIECE FOOTBOARD ONLY, OUT RIGGED CASTORS)		<input type="checkbox"/>
CNC0141		230mm SEAT WIDTH (9") INCLUDING STABILISER KIT (ONE PIECE FOOTBOARD ONLY, OUT RIGGED CASTORS)		<input type="checkbox"/>
CNC0142		255mm SEAT WIDTH (10") INCLUDING STABILISER KIT (OUT RIGGED CASTORS)		◆
CNC0143		280mm SEAT WIDTH (11") INCLUDING STABILISER KIT (OUT RIGGED CASTORS)		<input type="checkbox"/>
<b>SEAT DEPTH</b>				
CNC0160		ADJUSTABLE SEAT DEPTH 200mm TO 250mm (8"-10") DELIVERED AT 230mm	(NC: 1060,1070, 1075)	<input type="checkbox"/>
CNC0161		ADJUSTABLE SEAT DEPTH 250mm TO 300mm (10"-12") DELIVERED AT 280mm		◆
CNC0162		ADJUSTABLE SEAT DEPTH 300mm TO 350mm (12"-14") DELIVERED AT 330mm		<input type="checkbox"/>
<b>SEAT HEIGHT</b>				
CNC0260		460mm SEAT HEIGHT (18")		<input type="checkbox"/>
CNC0270		435mm SEAT HEIGHT (17")		<input type="checkbox"/>
CNC0280		410mm SEAT HEIGHT (16")	(NC: 1430, 1440)	◆
<b>SEAT UPHOLSTERY TYPE</b>				
CNC0335	<input checked="" type="checkbox"/>	NYLON WITH HOOK AND LOOP STRIPS SEAT UPHOLSTERY, WIDTH & DEPTH ADJUSTABLE		◆

Order No :

Customer Ref :

**BACKREST****BACKREST TYPE**

CNC0370	FIXED 0° BACKREST, 3 UPHOLSTERY HEIGHTS: 370/400/430mm - DELIVERED AT 370mm (SW 205mm TO 280mm)	○
CNC0380	FIXED 7° BACKREST, 3 UPHOLSTERY HEIGHTS: 370/400/430mm - DELIVERED AT 370mm (SW 205mm TO 280mm)	○
CNC0381	FIXED 7° BACKREST 510mm, 3 UPHOLSTERY HEIGHTS: 370/400/430mm - DELIVERED AT 370mm (SW 205mm TO 280mm)	○
CNC0390	RECLINING (RATCHET) 0/30° BACKREST, 5 UPHOLSTERY HEIGHTS: 350/370/390/410/430mm - DELIVERED AT 370mm (SW 205mm TO 280mm) W/O BACKBRACE (NC: 1190, 1195, 1280)	£96
CNC0395	RECLINING (GAS SPRING) 0/30° BACKREST, UPHOLSTERY HEIGHT 400mm, W/O BACKBRACE (NC: 1190, 1195, 1280)	£158
CNC0400	FOLDING BACKREST, 3 UPHOLSTERY HEIGHTS: 370/400/430mm- DELIVERED AT 370mm (SW 205mm TO 280mm)	◆
CNC0401	FOLDING BACKREST 510mm, 2 UPHOLSTERY HEIGHTS: 400/430mm - DELIVERED AT 400mm	○
CNC0402	FOLDING BACKREST WITH HEIGHT ADJUSTABLE REAR SET PUSH HANDLES (150MM ADJUSTMENT) BACKREST HEIGHT 500MM (ADJUSTABLE 380 / 500MM) (NC 0855, 0902) INC WIDTH ADJ BACKBRACE	£119
CNC0420	FOLDING BACKREST, UPHOLSTERY HEIGHT 400mm ; HEIGHT ADJUSTABLE PUSH HANDLE (+100mm) (NC : 0855)	£65
CNC0425	FIXED 7° BACKREST, UPHOLSTERY HEIGHT 400mm (with 0475) ; HEIGHT ADJUSTABLE PUSH HANDLE (+150mm) (NC : 0855)	£65

**BACKREST UPHOLSTERY TYPE**

CNC0465	WITHOUT BACKREST UPHOLSTERY	○
CNC0475	WIDTH & HEIGHT ADJUSTABLE NYLON SLING TYPE	◆

**HANGERS/FOOTPLATES****HANGERS RH TYPE**

CNC0505	90° STRAIGHT RH REMOVABLE HANGER (Knee to heel STD 125mm TO 260mm) (NC: 1005)	£25
CNC0510	80° SHORT RH DETACHABLE HANGER (0° STANDARD POSITION; Knee to heel STD 220mm TO 320mm) BLACK COLOUR ONLY (NC: 0562)	◆
CNC0512	80° LONG RH DETACHABLE HANGER (0° STANDARD POSITION; Knee to heel STD 300mm TO 450mm) (NC: 0560)	○

**HANGERS LH TYPE**

CNC0555	90° STRAIGHT LH REMOVABLE HANGER (Knee to heel STD 125mm TO 260mm) (NC: 1005)	£25
CNC0560	80° SHORT LH DETACHABLE HANGER (0° STANDARD POSITION; Knee to heel STD 220mm TO 320mm) BLACK COLOUR ONLY	◆
CNC0562	80° LONG LH DETACHABLE HANGER (0° STANDARD POSITION; Knee to heel STD 300mm TO 450mm)	○

**FOOTPLATES RH TYPE**

CNC0605	FLIP UP, ANGLE & DEPTH ADJUSTABLE RH FOOTPLATE	◆
CNC0611	ONE PIECE FOOTBOARD (NC : 0625, 0882, 0883, 0884, 0885)	○

**FOOTPLATES LH TYPE**

CNC0625	FLIP UP, ANGLE & DEPTH ADJUSTABLE LH FOOTPLATE	◆
---------	------------------------------------------------	---

**ARMRESTS****ARMRESTS RH FORM**

CNC0640	REMOVABLE RH (N°1) DESK ADJ - 180mm TO 280mm. Autolock safety device included. (NC : 0745, 0746, 0750, 0755)	◆
CNC0645	REMOVABLE RH (N°1) JUNIOR ADJ - 150mm TO 250mm. Autolock safety device included. (NC : 0740, 0746, 0750, 0755)	○
CNC0646	REMOVABLE RH (N°1) JUNIOR ADJ. NARROW ARMPAD 150mm TO 250mm. Autolock safety device included. (NC : 0740, 0745, 0750, 0755)	○
CNC0650	MUDGUARD RH (NC: 0740, 0745, 0746, 0755, 1201, 1471, 1472)	£30
CNC0655	SKIRTGUARD RH JUNIOR (NC: 0740, 0745, 0746, 0750, 1471, 1472)	○

**ARMRESTS LH FORM**

CNC0740	REMOVABLE LH (N°1) DESK ADJ - 180mm TO 280mm. Autolock safety device included.	◆
CNC0745	REMOVABLE LH (N°1) JUNIOR ADJ - 150mm TO 250mm. Autolock safety device included.	○
CNC0746	REMOVABLE LH (N°1) JUNIOR ADJ. NARROW ARMPAD 150mm TO 250mm. Autolock safety device included.	○
CNC0750	MUDGUARD LH (NC : 1201, 1471, 1472)	£30
CNC0755	SKIRTGUARD LH JUNIOR (NC : 1471, 1472)	○

SEATING OPTIONS TYPE			
CNC0851		SEAT CUSHION MSS (ESSENTIAL JUNIOR)	£45
CNC0855		BACKREST EXTENSION (230mm) (NC 0860, 0865)	£62
CNC0860		HEADREST STANDARD MULTI - ADJUSTABLE (INCLUDING WIDTH ADJUSTABLE BACKBRACE) (NC: 0865, 0902)	£115
CNC0865		HEADREST ROUND MULTI - ADJUSTABLE (INCLUDING WIDTH ADJUSTABLE BACKBRACE) (NC: 0902)	£130
CNC0880		ADJUSTABLE CALF STRAP	£10
CNC0882		PRO-TECH ANKLE SURE MOUNTING BRACKETS (PAIR, FITTED BELOW FOOTPLATES) (NC: 0883, 0884, 0885)	£56
CNC0883		PRO-TECH HI TOPS (ANKLE SURES) XS (CIRC 155-200MM) <i>INCLUDES BRACKET OPTION 0882</i> (NC: 0884, 0885)	£161
CNC0884		PRO-TECH HI TOPS (ANKLE SURES) S (CIRC 160-215MM) <i>INCLUDES BRACKET OPTION 0882</i> (NC: 0885)	£161
CNC0885		PRO-TECH HI TOPS (ANKLE SURES) M (CIRC 175-230MM) <i>INCLUDES BRACKET OPTION 0882</i>	£161
CNC0886		FOOTPLATE ADJUSTMENT OPTIMISER KIT (FRONT OR REAR SET ADJUSTMENT)	£17
CNC0902		WIDTH ADJUSTABLE BACKBRACE	£35
COLOURS			
CNC0952		PEARL WHITE	○
CNC0953		MATT BLACK	○
CNC0954		MATT RED	○
CNC0955		INTENSE YELLOW	○
CNC0956		POLAR BLUE	○
CNC0957		CANDY PINK	○
CNC0958		POP BLUE	○
CNC0991		SPECIAL RAL COLOUR - 3 WEEK LEAD TIME	£145
SWO0615		SLATE GREY - 3 WEEK LEAD TIME	£145
SWO0644		ELECTRIC GREEN - 3 WEEK LEAD TIME	£145
SWO0645		HYPNOTIC PURPLE - 3 WEEK LEAD TIME	£145
SWO0609		ANTHRACITE BLACK - 3 WEEK LEAD TIME	£145
SWO0607		DARK RED - 3 WEEK LEAD TIME	£145
SWO0515		PEARL GREY - 3 WEEK LEAD TIME	£145
SWO0648		VIBRANT ORANGE - 3 WEEK LEAD TIME	£145
FRONT WHEELS			
CNC1000		125mm x 25mm (5" x 1") SOLID TYRE	◆
CNC1001		125mm x 25mm (5"x 1") FLASHING LIGHTS SOLID TYRE	£40
CNC1005		125mm x 40mm (5"x 1" 3/4) SOLID TYRE	○
REAR WHEELS			
REAR WHEEL TYPE			
CNC1060		560mm x 35mm (22" x 1.3/8") PNEUMATIC TYRE SPOKED RIM (NC: 1170)	○
CNC1070		560mm x 35mm (22" x 1.3/8") SOLID TYRE SPOKED RIM (NC: 1170)	○
CNC1075		560mm x 25mm (22" x 1") BLACK SOLID TYRE SPOKED RIM (NC: 1170, 1280)	○
CNC1090		510mm x 35mm (20" x 1.3/8") SOLID TYRE SPOKED RIM (NC: 1170, 1280)	○
CNC1110		305mm x 50mm (12" x 2") SOLID TYRE PLASTIC RIM (NC : 1140, 1180, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1380, 1390)	○
HANDRIM TYPE			
CNC1140		ALUMINIUM PRE-ANODIZED HANDRIM	○
CNC1141		BLACK ANTI-SLIP PLASTIC	£64
REAR WHEELS AXLE TYPE			
CNC1170		FIXED AXLE (NC: 1201)	○
CNC1180		QUICK RELEASE AXLE	○
REAR WHEELS POSITION			
CNC1190		STANDARD REAR WHEELS POSITION	◆
CNC1195		MEDIUM REAR WHEELS POSITION	○
CNC1200		PASSIVE REAR WHEELS POSITION	○
CNC1201		DUAL AMPUTEE REAR WHEELS POSITIONS (60mm/BACKREST CANE AXLE, ADJUSTABLE TO 85mm) (NC: 1275, 1280)	£59
PUMP			
CNC1230		PUMP AND SUPPORT	£9
CHASSIS OPTIONS TYPE			
CNC1253		SPOKE GUARD CLEAR (PAIR)	£70
CNC1254		SPOKE GUARD PIXEL (PAIR)	£85
CNC1255		SPOKE GUARD SNOWFLAKES (PAIR)	£85
CNC1256		SPOKE GUARD COLOUR ME (PAIR)	£85

Order No :

Customer Ref :

BRAKES TYPE - NOTE: A brake option MUST be selected			
CNC1270		PUSH TO LOCK BRAKES	◆
CNC1275		PULL TO LOCK BRAKES	○
CNC1280		ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES) AVAILABLE WITH SOLID TRANSIT REAR WHEELS	(NC: 1426) £127
SAFETY OPTIONS TYPE			
CNC1345	X	TRANSPORTATION KIT INCLUDING BUCKLE BELT	◆
CNC1361		PRO-TECH PAEDIATRIC BELT (NOT CRASH TESTED)	£78
CNC1370		REAR ANTI-TIPPERS PAIR WITH TIPPING AID	(NC : 1430, 1440) £30
CNC1380		REFLECTORS KIT (WHEELS AND CHASSIS)	£6
CNC1390		BRAKE EXTENSION PAIR	£12
ATTENDANT OPTIONS TYPE			
CNC1426		STROLLER PUSH HANDLES (PAIR)	£76
CNC1430		RH TIPPING AID	£12
CNC1440		LH TIPPING AID	£12
ACCESSORIES TYPE			
CNC1471		RH SWING AWAY ACRYLIC TRAY	£168
CNC1472		LH SWING AWAY ACRYLIC TRAY	£168
			<b>Total Price:</b>


Non conforming Options:			
CNC0270		43.5 CM SEAT HEIGHT (17")	
CNC0280		41 CM SEAT HEIGHT (16")	
CNC0560		80° SHORT LH SWING IN/OUT HANGER (0° STANDARD POSITION; Knee to heel STD 22 TO 32 CM) BLACK COLOUR ONLY	
CNC0562		80° LONG LH SWING IN/OUT HANGER (0° STANDARD POSITION; Knee to heel STD 30 TO 45 CM)	
CNC0600		FLIP UP RH FOOTPLATE	
CNC0620		FLIP UP LH FOOTPLATE	
CNC0625		FLIP UP, ANGLE & DEPTH ADJUSTABLE LH FOOTPLATE	
CNC0646		REMOVABLE RH (N°1) JUNIOR ADJ. NARROW ARMPAD 150mm TO 250mm	
CNC0740		REMOVABLE LH (N°1) DESK ADJ. 18 TO 28 CM	
CNC0745		REMOVABLE LH (N°1) JUNIOR ADJ. 15 TO 25 CM	
CNC0746		REMOVABLE LH (N°1) JUNIOR ADJ. NARROW ARMPAD 150mm TO 250mm	
CNC0750		MUDGUARD LH	
CNC0755		SKIRTGUARD LH JUNIOR	
CNC0855		BACKREST EXTENSION (23 CM)	
CNC0860		HEADREST STANDARD MULTI - ADJUSTABLE (INCLUDING PUSH BAR)	
CNC0865		HEADREST ROUND MULTI - ADJUSTABLE (INCLUDING PUSH BAR)	
CNC0886		FOOTPLATE ADJUSTMENT OPTIMIZER KIT (FRONT OR REAR SET ADJUSTMENT)	
CNC1005		5"x 1" 3/4 SOLID TYRE	
CNC1060		22" x 1.3/8" PNEUMATIC TYRE SPOKED RIM	
CNC1070		22" x 1.3/8" SOLID TYRE SPOKED RIM	
CNC1075		22" x 1" BLACK SOLID TYRE SPOKED RIM	
CNC1090		20" x 1.3/8" SOLID TYRE SPOKED RIM	
CNC1110		12" x 2" SOLID TYRE PLASTIC RIM	
CNC1140		ALUMINIUM PRE-ANODIZED HANDRIM	
CNC1141		BLACK ANTI-SLIP PLASTIC	
CNC1170		FIXED AXLE	
CNC1180		QUICK RELEASE AXLE	
CNC1190		STANDARD REAR WHEELS POSITION	
CNC1195		MEDIUM REAR WHEELS POSITION	
CNC1201		DUAL AMPUTEE REAR WHEELS POSITIONS (6 CM/BACKREST CANE AXLE, ADJUSTABLE TO 8.5 CM)	
CNC1253		SPOKE GUARD CLEAR (PAIR)	
CNC1254		SPOKE GUARD PIXEL (PAIR)	
CNC1255		SPOKE GUARD SNOWFLAKES (PAIR)	
CNC1256		SPOKE GUARD COLOUR ME (PAIR)	
CNC1275		PULL TO LOCK BRAKES	
CNC1280		ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)	
CNC1361		PRO-TECH PAEDIATRIC BELT (NOT CRASH TESTED)	
CNC1390		BRAKE EXTENSION PAIR	
CNC1430		RH TIPPING AID	
CNC1440		LH TIPPING AID	
CNC1471		RH SWING AWAY ACRYLIC TRAY	
CNC1472		LH SWING AWAY ACRYLIC TRAY	

Order No :

Customer Ref :



1201 Dual Amputee Rear Wheel Set Back Position



Please refer to our Invacare Unique special order form, for more complex custom requirements. Available at [www.invacare.co.uk](http://www.invacare.co.uk)

**Special Instructions - Please supply the following information:**

**Name:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

**Description of special request (please include relevant option code or part number):**