



JANUARY 2019

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

Customer Ref :	Account No :
Contact No :	Order No :
Delivery Address :	Order Qty :
	Order Date :

Invacare[®] FOX (Modulite™ Seating System)
Retail
Max User Weight 127Kg (20 stone)

Standard Features



- **Modulite** highly adjustable seating system
- Telescopic adjustable Seat Widths from 330mm - 530mm (13" - 21")
- Seat Depths 410mm - 510mm Stepless Adjustment (16" - 20")
- Tension adjustable backrest
- Standard T-armrest, detachable with Short armpads
- Manual settable seat Tilt (from 0° to 8°)
- Manual settable backrest Recline (0° - 30° in 3.75° steps)
- Standard 80° Legrest hangers with fixed flip-up footplates
- **LiNX** Control REM110 with standard bracket
- Choice of 5 colour options
- Solid Grey castors 200mm x 50mm (8" x 2"), Silver Rim
- Grey Drive Wheels, Puncture Proof Solid Inlay, (12 1/2" x 2 1/4"), Silver Rim (aluminium)
- 6 km/h (4mph) Motors with 40 Ah Gel Battery
- 8A (200 - 250V) Charger
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)
- Wheel lock / parking brake



Standard Base Price : £2,700

* Configurations may vary from the image shown

	<input checked="" type="checkbox"/>	Please make your selection with a cross in the box	<input checked="" type="checkbox"/>	Standard feature	<input type="checkbox"/>	Free of Charge
Customer weight =		Kg				
Code		Description				Retail
AXB0000		Fox Basic Model				£2,700
AXZ0000		Fox Special Basic Model				POA

SEATING TYPE : MODULITE MULTI ADJUSTABLE SEATING SYSTEM

AXB2100	<input checked="" type="checkbox"/>	Modulite Seating Unit					◆
SEAT FRAME AND SEAT PLATE							
AXB2111	<input checked="" type="checkbox"/>	Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and backrest)					◆

MODULITE SEAT SIZE SETTING CHART:

		SEAT WIDTHS				
		330mm* (13")	AXB2121 380mm (15")	AXB2122 430mm (17")	AXB2123 480mm (19")	AXB2124 530mm (21")
SEAT DEPTHS	AXB2132 (16") 410mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	AXB2134 (18") 460mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	AXB2136 (20") 510mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



*330mm (13") seat width achieved on a 380mm seat frame (2121) with inrigged armrests (2183)
Seat depth 410mm: cannot combine T-Armrests (2191) with flexible lapbelt mount (2113)
Modulite Teen seating available, seat width and depth from 305mm (12") - See New Form

SEAT OPTION

AXBSWO	"H" Frame Interface Kit	£395
--------	-------------------------	------

SEAT CUSHION (sizes according to seat frame settings)

AXB2142	Matrx Flo-tech Lite Cushion	£99
AXB2147	Matrx Libra Cushion, 90mm thick	Not available with seat width 530mm with 410mm seat depth, spacer fabric upholstery £345
AXB2140	Without seat cushion	◆

BACKREST SUPPORT

AXB2162	Backposts 540mm (Tall)	Must be selected for flex3 adjustable backrest plates ◆
AXB2163	Backposts 480mm (Short)	Not available with flex3 adjustable backrests ○

PUSH HANDLES FOR BACKPOSTS


AXB2107	Backposts WITH push handles	◆
AXB2108	Backposts WITHOUT push handles Push handles will be cut down on the vertical section.	Not available with attendant controls, dual controls, matrx backrest's, headrest 1495, tension adjustable backrest in combination with a headrest. £32

BACKREST UPHOLSTERY / CUSHION

AXB2171	Basic Tension Adjustable Backrest (540mm or 480mm upholstery height) Straps easily accessible and adjustable from the rear, Black fabric only	Not available with laterals, headrest 1496 ◆
AXB2179	Flex3 Tension Adjustable (540mm - 480mm) Black Dartex only	Not available with laterals, soft armpad, chin remote £122
AXB2172	Flex3 Adjustable Backrest Plates (without Backrest Cushion)	£198
AXB2173	Flex3 Adjustable Backrest Plates (with Laguna Backrest Cushion)	£321
AXB2174	Matrx Posture Back, height 400mm (Mesh fabric)	Not available with laterals, 530mm seat width, headrest 1496 £438
AXB2175	Matrx Posture Back, height 500mm (Mesh fabric)	Not available with laterals, 530mm seat width, headrest 1496 £438
AXB2176	Matrx Elite Back, height 500mm (Mesh fabric)	Not available with laterals, 530mm seat width, headrest 1496, seat width of 380mm 2121 in combination with flip up, following armrests £438
AXB2177	Matrx Elite TR Back, height 500mm (Mesh fabric)	Not available with laterals, 530mm seat width, headrest 1496 £438
AXB2178	Matrx Elite Deep Back, height 500mm (Mesh fabric)	Not available with laterals, headrest 1496 £486
AXB2170	Without Backrest Upholstery	Not available with laterals, headrest 1496 ○

UPHOLSTERY TYPE

AXB2151	Black fabric	◆
AXB2152	Black Dartex	○
AXB2155	Black Spacer fabric	○




ARMREST (Pair)

AXB2191	T-Armrest Standard Range of adjustment from seat plate 245mm to 315mm	◆
AXB2181	T-Armrest Extended height Range of adjustment from seat plate 295mm to 365mm	£32
AXB2183	In-rigged Armrests (reduces seat width by 25mm each side)	£22


ARMPADS (Pair)

AXB2195	Short Armpad (325mm)	◆
AXB2196	Long Armpad (375mm)	Not available with seat depth 410mm ○
AXB2197	Long Ergonomic Armpad (397mm)	Not available with seat depth 410mm ○
AXB2199	Soft Armpad (REA Azalea Wide Pad)	£76


SEAT ACCESSORIES



HEADREST / NECKREST - Adequate headrest option must be selected		
AXB1350	Neckrest: height and depth adjustable	£64
AXB1432	Headrest: height, depth and sideways adjustable	£180
AXB1427	Headrest with cheek support: height and depth adjustable	£180
AXB2323	Elan Standard Pad 150mm (6") wide with standard cover complete with Elan Headrest Hardware	Not available with tension adjustable backrests, head controls £260
AXB2324	Elan Standard Pad 255mm (10") wide with standard cover complete with Elan Headrest Hardware	Not available with tension adjustable backrests, head controls £260
AXB2322	Elan Standard Pad 355mm (14") wide with standard cover complete with Elan Headrest Hardware	Not available with tension adjustable backrests, head controls £260
AXB2325	Elan Occipital Pad 230mm x 180mm (9" x 7") with standard cover complete with Elan Headrest Hardware	Not available with tension adjustable backrests, head controls £260
AXB2326	Elan Occipital Pad 305mm x 200mm (12" x 8") with standard cover complete with Elan Headrest Hardware	Not available with tension adjustable backrests, head controls £260
AXB2327	Elan 4 Point Headrest Pad 280mm x 255mm (11" x 10") with standard cover, complete with Elan Headrest Hardware	Not available with tension adjustable backrests, head controls £350
AXB1496	All bracketry as option 1432 without Headrest cushion	○
AXB1495	Push bar dia. 22mm in conjunction with telescopic seat frame / Backposts, No Headrest - no mounting hardware.	Not available without push handles 2108 ○



**Lateral support
1446**



**Lateral multi-adjustable pad
1445**

LATERAL SUPPORT (Pair)

AXB1446	Rigid pad (Azalea type, Dartex)	£133
AXB1445	Multi-adjustable pad (Azalea type, Dartex)	£133

SEAT ADJUSTMENTS

SEAT HEIGHT SETTING

AXB0312	Low Seat To Floor height 480mm at 4° factory setting (-30mm / + 30mm depending on Tilt settings)	○
AXB0344	High Seat To Floor height 510mm at 4° factory setting (- 30mm / + 30mm depending on Tilt settings)	○

SEAT TILT

AXB1002	X Manually settable Seat Tilt (0° / 2° / 4° / 6° / 8°), Factory setting: 4°	◆
---------	------------------------------------------------------------------------------------	---

BACKREST RECLINER

AXB0975	Manual Settable Recliner (0° - 30° in 3.75° steps) Foldable	◆
AXB0977	Powered Recliner (0° - 30°) Foldable	£375

LEGREST / FOOTREST

FOOTREST HANGER Type, Swing away and detachable (Pair)

AXB0526	Standard 80° hangers	◆
AXB0529	Manual Elevating Legrests	£168
AXB0501	Without Hanger	○

AMPUTEE SUPPORTS (Replaces legrest hanger)

AXB0554	Amputee Support RH	£154
AXB0555	Amputee support LH	£154

FOOTPLATE TYPE (Pair)

AXB0512	Fixed Angle, Flip-up Footplates	◆
AXB0513	Angle and Depth Adjustable Footplates (Adapt)	£71



LINUX PRIMARY CONTROLS

Drive Only



REM110

Drive & Actuators



REM211

Dual Control



REM050

Compact Dual Control



ACU200

LINUX PRIMARY REMOTE & BRACKET

AXB2201	REM110 Drive only	◆
AXB2203	REM211 Drive & Actuators	○
AXB1207	Standard Bracket RH	○
AXB1208	Standard Bracket LH	○
AXB1707	Swing Away RH	£105
AXB1708	Swing Away LH	£105
AXB2227	Bracket RH mounted for Attendant	£50
AXB2228	Bracket LH mounted for Attendant	£50

LINX DUAL CONTROL & BRACKET: CAN ONLY BE SELECTED IN ADDITION TO LINX USER CONTROL			
AXB2220		Dual Control REM050 Drive only	£313
AXB2219		Compact Dual Control (ACU200)	Not available with REM110 drive only remote £313
AXB1207		Standard Bracket RH	○
AXB1208		Standard Bracket LH	○
BODYPOINT JOYSTICK KNOBS NEW!			
AXB2721		3" wide U-Shaped, Joystick Handle	£57
AXB2722		4" wide U-Shaped, Joystick Handle	£57
AXB2723		Wide Rubber Dome, Joystick Handle	£57
AXB2724		Grooved Mushroom Joystick Handle	£57
DRIVE UNIT OPTIONS			
WHEELBASE SETTING			
AXB1226	X	Recommended factory setting, based on seat depth and seat to floor height Wheel setting positions can be changed as desired after performing the appropriate risk assessment	◆
SHROUD COLOUR			
AXB0201		Pearl Night Blue	○
AXB0233		Metallic Silver	○
AXB0228		Silky Matt Black	○
AXB0204		Transparent Cherry Red	○
AXB0222		White	○
CASTORS			
AXB0802		Castor Grey 200mm x 50mm (8" x 2") PU Tyre, Black Rim	○
AXB0803		Castor Grey 200mm x 50mm (8" x 2") Solid Inlay, Silver Rim	◆
DRIVE WHEELS			
AXB0709		Drive Wheel Grey, Puncture Proof Solid Inlay, (12 1/2" * 2 1/4"), Black Rim (plastic)	○
AXB0710		Drive Wheel Grey, Puncture Proof Solid Inlay, (12 1/2" * 2 1/4"), Silver Rim (aluminium)	◆
PERFORMANCE OPTIONS			
MOTOR TYPE			
AXB1294		3 km/h (2mph)	○
AXB1282		6 km/h (4mph)	◆
BATTERY			
AXB1248		50 Ah AGM	£30
AXB1255		40 Ah Gel	◆
PERFORMANCE ACCESSORIES			
CHARGER			
AXB1343		OptiCharge Charger 8A (200 - 250V)	◆
AXB1313		OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster	£120
SAFETY ACCESSORIES			
WHEEL LOCK / PARKING BRAKE			
AXB1206	X	Manual Wheel Locks	◆
KERB RIDER			
AXB1244		Kerbrider	£168
TRANSPORTATION KIT			
AXB1494	X	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended)	◆
LAP BELT			
AXB1329		Lap Belt with Auto-Lock	◆
BODYPOINT PELVIC BELTS (Includes mounting kit)			
AXB2701		Evoflex Pelvic Stabilizer, Rehab Latch size L (padded length 620mm)	Not available with seat width 380mm, 430mm, seat depth 410mm, hip supports £75
AXB2702		Evoflex Pelvic Stabilizer, Rehab Latch size M (padded length 460mm)	Not available seat width 480mm, 530mm, seat depth 410mm, hip supports £75
AXB2703		2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm)	Not available with seat width 380mm, 430mm, seat depth 410mm, hip supports £69
AXB2704		2-Point Hip Belt, Centre pull - push button, Cinch mount size M (padded length 460mm)	Not available seat width 480mm, 530mm, seat depth 410mm, hip supports £69
AXB2705		2-Point Hip Belt, Dual pull, Side release button, Cinch mount size L (padded length 620mm)	Not available with seat width 380mm, 430mm, seat depth 410mm, hip supports £69
AXB2706		2-Point Hip Belt, Dual pull, Side release button, Cinch mount size M (padded length 460mm)	Not available seat width 480mm, 530mm, seat depth 410mm, hip supports £69

ACCESSORIES

BAG HOOKS



AXB2128		Bag hooks (Max load up to 6 kg = impact on max user weight)	Not available with flex3 backrest 2172 / 2173, attendant brackets, dual controls	£61
CANE HOLDER				
AXB1312		Cane holder RH		£33
AXB1363		Cane holder LH		£33
TRAY - mounted opposite side to controller				
AXB1404		Tray, Swing Away RH		£175
AXB1405		Tray, Swing Away LH		£175
CASTOR LOCKS				
AXB1490		Castor Lock Levers		£26

Total Price:				
---------------------	--	--	--	--



Please refer to our Invacare Unique special order form, for more complex custom requirements. Available at www.invacare.co.uk

Special Instructions - Please supply the following information:

Name: _____ **Email:** _____

Phone: _____ **Fax:** _____

Description of special request (please include relevant option code or part number):