

Tel: 01656 776222 Fax: 01656 776220  
Email: ordersuk@invacare.com  
Online spares available at: www.invacare.co.uk

January 2019

|                    |              |
|--------------------|--------------|
| Customer Ref:      | Account No : |
| Contact No:        | Order No :   |
| Delivery address : | Order Qty :  |
|                    | Order Date : |

**Invacare® XLT Fixed Frame**  
RETAIL  
Maximum user weight 135 Kg ( 21 Stone )

**Standard Features**

- Lightweight Titanium Rigid Frame with Rigid Footrest Tube
- Active 75° Front Frame Angle
- Choice of 6 Seat Widths 355mm - 480mm (14" - 19")
- Choice of 3 Adjustable Seat Depths 360mm - 500mm (14" - 20")
- Lockdown Folding Backrest, Angle Adjustable, Tension Adjustable Upholstery
- Removable Sideguards
- Choice of 6 Frame Colours
- Self Propel with 22" & 24" Quick Release Rear Wheels
- Standard Brake Lever Bent



**Standard Base Price £1,542**

|  | X | Please make your selection with a cross in the box                                  | ◆ Standard feature   | ○ Free of Charge |
|--|---|---|--|------------------|
|  |   | Customer weight =   | Kg   |                  |
| Code   |   | Description   |  | Retail           |
| BPA0010  |   | Invacare ® XLT  |  | £1,542           |
| BPZ0010  |   | Invacare ® XLT Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM |  | POA              |
| <b>Propulsion Type</b>   |   |   |  |                  |
| BPA0020  |   | Standard wheel hub  |  | ◆                |
| BPA0030  |   | Assistant manoeuvred drumbrakes   | (NC:0400,0680,0830,0840,0850,0900,1390,1400,1430,1490,1590,1820)   | £256             |
| BPA0040  |   | One arm drive LH  | (NC:0300,0310,0400,1370,1390,1400,1430,1440,1470,1490,1500,1510,1520,1530,1540,1560,1570,1590,1600,1650,1670,1701,1711,1770,1780,1820) | £353             |
| BPA0050  |   | One arm drive RH  | (NC:0300,0310,0400,1370,1390,1400,1430,1440,1470,1490,1500,1510,1520,1530,1540,1560,1570,1590,1600,1640,1680,1701,1711,1770,1780,1820) | £353             |
| <b>Frame Type ( IMPORTANT ! PLEASE SEE CASTOR TABLE GUIDE ON LAST PAGE )</b>                 |   |   |  |                  |
| BPA0060  |   | Active frame, knee angle 75°  |  | ◆                |
| BPA0070  |   | Dynamic frame, knee angle 90°   | (NC:0280,0290,0620,0630,0640,1300,1315,1320,1340)  | £96              |
| <b>SEAT WIDTH (SW)</b>   |   |   |  |                  |
| BPA0080  |   | Seat width 355 mm   | (NC: 1640,1650,1820)   | ○                |
| BPA0090  |   | Seat width 380 mm   |  | ○                |
| BPA0100  |   | Seat width 405 mm   |  | ○                |
| BPA0110  |   | Seat width 430 mm   |  | ○                |
| BPA0120  |   | Seat width 455 mm   |  | ○                |
| BPA0130  |   | Seat width 480 mm   |  | ○                |
| <b>SEAT DEPTH (SD)</b>   |   |   |  |                  |
| BPA0140  |   | 400 mm  | Adjustable from seat depth 360 - 400mm   | ◆                |
| BPA0150  |   | 450 mm  | Adjustable from seat depth 410 - 450mm   | ○                |
| BPA0160  |   | 500 mm  | Adjustable from seat depth 460 - 500mm   | ○                |
| <b>FRONT SEAT TO FLOOR HEIGHT ( IMPORTANT ! PLEASE SEE CASTOR TABLE GUIDE ON LAST PAGE )</b> |   |   |  |                  |
| BPA0170  |   | 400mm   | (NC: 0330,0340,0350,0360,0370,0380,0390,0400,0530,0540,0550,0560,0570,0580,0590,0600,0610,0620,0630,0640)                              | ○                |
| BPA0180  |   | 410mm   | (NC: 0340,0350,0360,0370,0380,0390,0400,0540,0550,0560,0570,0580,0590,0600,0610,0620,0630, 0640)                                       | ○                |
| BPA0190  |   | 420mm   | (NC: 0350,0360,0370,0380,0390,0400,0550,0560,0570,0580,0590,0600,0610,0620,0630,0640)  | ○                |
| BPA0200  |   | 430mm   | (NC: 0360,0370,0380,0390,0400,0560,0570,0580,0590,0600,0610,0620,0630,0640)  | ○                |

|  |   |   |     |
|--|---|---|-----|
| BPA0210  | 440mm   | (NC: 0370,0380,0390,0400,0570,0580,0590,0600,0610,0620,0630,0640)           | ○   |
| BPA0220  | 450mm   | (NC: 0380,0390,0400,0580,0590,0600,0610,0620,0630,0640)                     | ○   |
| BPA0230  | 460mm   | (NC: 0390,0400,0590,0600,0610,0620,0630,0640,1270,1280,1290,1315,1320,1340) | ○   |
| BPA0240  | 470mm   | (NC: 0300,0400,0600,0610,0620,0630,0640)                                    | ○   |
| BPA0250  | 480mm   | (NC: 0300,0310,0610,0620,0630,0640)   | ◆   |
| BPA0260  | 490mm   | (NC: 0300,0310,0320,0620,0630,0640)   | ○   |
| BPA0270  | 500mm   | (NC: 0300,0310,0320,0330,0340,0630,0640)                                    | ○   |
| BPA0280  | 510mm   | (NC: 0300,0310,0320,0330,0340,0640)   | ○   |
| BPA0290  | 520mm   | (NC: 0300,0310,0320,0330,0340,0350)   | ○   |
| <b>REAR SEAT-TO-FLOOR</b>  |   |   |     |
| BPA0300  | 380 mm  | (NC: 1380,1390,1400,1430)   | ○   |
| BPA0310  | 390 mm  | (NC: 1380,1390,1400,1430)   | ○   |
| BPA0320  | 400 mm  | (NC: 1430)  | ○   |
| BPA0330  | 410 mm  |   | ○   |
| BPA0340  | 420 mm  |   | ○   |
| BPA0350  | 430 mm  |   | ○   |
| BPA0360  | 440 mm  |   | ◆   |
| BPA0370  | 450 mm  | (NC: 1370)  | ○   |
| BPA0380  | 460 mm  | (NC: 1370)  | ○   |
| BPA0390  | 470 mm  | (NC: 1370)  | ○   |
| BPA0400  | 480 mm  | (NC: 1370,1380,1390,1400)   | ○   |
| <b>KNEE-TO-HEEL LENGTH (UL) ( SEAT CANVAS TO FOOTPLATE LENGTH )</b>  |   |   |     |
| <b>FOOTPLATE HIGH MOUNTED</b>  |   |   |     |
| BPA0430  | 270 mm  | (NC: 0970,0980)   | £83 |
| BPA0440  | 280 mm  | (NC: 0970,0980)   | £83 |
| BPA0450  | 290 mm  | (NC: 0970,0980)   | £83 |
| BPA0460  | 300 mm  | (NC: 0970,0980)   | £83 |
| BPA0470  | 310 mm  | (NC: 0970,0980)   | £83 |
| BPA0480  | 320 mm  | (NC: 0970,0980)   | £83 |
| BPA0490  | 330 mm  | (NC: 0970,0980)   | £83 |
| BPA0500  | 340 mm  | (NC: 0970,0980)   | £83 |
| BPA0510  | 350 mm  | (NC: 0970,0980)   | £83 |
| <b>KNEE-TO-HEEL LENGTH (UL) ( SEAT CANVAS TO FOOTPLATE LENGTH )</b>  |   |   |     |
| <b>STANDARD FOOTPLATE</b>  |   |   |     |
| BPA0520  | 360 mm (Active frame only available with Footrest high mounted) |   | ○   |
| BPA0530  | 370 mm (Active frame only available with Footrest high mounted) |   | ○   |
| BPA0540  | 380 mm  | (NC: 1000)  | ○   |
| BPA0550  | 390 mm  | (NC: 1000)  | ○   |
| BPA0560  | 400 mm  | (NC: 1000)  | ○   |
| BPA0570  | 410 mm  | (NC: 1000)  | ○   |
| BPA0580  | 420 mm  | (NC: 1000)  | ○   |
| BPA0590  | 430 mm  | (NC: 1000)  | ◆   |
| BPA0600  | 440 mm  | (NC: 1000)  | ○   |
| BPA0610  | 450 mm  | (NC: 1000)  | ○   |
| BPA0620  | 460 mm (Only available with Active frame)                       |   | ○   |
| BPA0630  | 470 mm (Only available with Active frame)                       |   | ○   |
| BPA0640  | 480 mm (Only available with Active frame)                       |   | ○   |
| <b>BACKREST LOCKDOWN FOLDING</b>   |   |   |     |
| <b>BACKREST TYPE / VELCRO TENSION ADJUSTABLE</b>   |   |   |     |
| BPA0650  | Fixed height, angle adj, with bent backrest tubes               | (NC: 0720,0730,0740,0750,0760,0770,0780,0790,0800,0810,0820,                | ◆   |
| BPA0655  | Fixed Height, angle adj, with straight backrest tubes           | (NC: 0720,0730,0740,0750,0760,0770,0780,0790,0800,0810,0820,                | ○   |
| BPA0660  | Height & angle adjustable, with bent backrest tubes             | (NC: 0680,0690,0700,0710)   | ○   |
| BPA0663  | Height & angle adjustable, with straight backrest tubes         | (NC: 0680,0690,0700,0710)   | ○   |
| <b>BACKREST HEIGHT</b>   |   |   |     |
| <b>( PLEASE NOTE THE XLT CANNOT BE USED AS A SEAT DURING TRANSPORTATION IF THE BACK HEIGHT IS LOWER THAN 400MM )</b> |   |   |     |
| <b>IMPORTANT NOTE: IT IS RECOMMENDED THAT A HEADREST IS FITTED DURING TRANSPORTATION</b>                             |   |   |     |
| <b>FIXED BACKREST HEIGHT</b>   |   |   |     |
| BPA0680  | 200 mm  | (NC: 0850,0860,0870,0880)   | ○   |
| BPA0690  | 250 mm  |   | ○   |
| BPA0700  | 300 mm  |   | ◆   |
| BPA0710  | 350 mm  |   | ○   |

| <b>HEIGHT ADJUSTABLE BACKREST HEIGHT</b>  |   |  |   |      |
|---|---|--|---|------|
| BPA0720   |   | 300mm (set at 300mm)   | Adjustable between 300mm - 320mm in 20mm increments | ○    |
| BPA0730   |   | 320mm (set at 320mm)   | Adjustable between 300mm - 320mm in 20mm increments | ○    |
| BPA0740   |   | 350mm (set at 350mm)   | Adjustable between 350mm - 390mm in 20mm increments | ○    |
| BPA0750   |   | 370mm (set at 370mm)   | Adjustable between 350mm - 390mm in 20mm increments | ○    |
| BPA0760   |   | 390mm (set at 390mm)   | Adjustable between 350mm - 390mm in 20mm increments | ○    |
| BPA0770   |   | 400mm (set at 400mm)   | Adjustable between 400mm - 440mm in 20mm increments | ○    |
| BPA0780   |   | 420mm (set at 420mm)   | Adjustable between 400mm - 440mm in 20mm increments | ○    |
| BPA0790   |   | 440mm (set at 440mm)   | Adjustable between 400mm - 440mm in 20mm increments | ○    |
| BPA0800   |   | 450mm (set at 450mm)   | Adjustable between 450mm - 490mm in 20mm increments | ○    |
| BPA0810   |   | 470mm (set at 470mm)   | Adjustable between 450mm - 490mm in 20mm increments | ○    |
| BPA0820   |   | 490mm (set at 490mm)   | Adjustable between 450mm - 490mm in 20mm increments | ○    |
| <b>PUSH HANDLES</b>   |   |  |   |      |
| BPA0830   |   | Fixed push handles   |   | ◆    |
| BPA0840   |   | Foldable push handles  |   | £142 |
| BPA0850   |   | Height adjustable push handles, external, short grip                                       |   | £51  |
| BPA0860   |   | Height adjustable push handles, external, long grip for drum brakes                        |   | £51  |
| BPA0870   |   | Height adjustable push handles, external, including neckrest, and long grip for drumbrakes |   | £84  |
| BPA0880   |   | Height adjustable push handles, external, including headrest, and long grip for drumbrakes |   | £106 |
| BPA0900   |   | Without push handles   |   | ○    |
| <b>SEAT TYPE</b>  |   |  |   |      |
| BPA0910   |   | Velcro tension and depth adjustable  |   | ◆    |
| <b>SEAT CUSHIONS</b>  |   |  |   |      |
| BPA0930   |   | Standard seat cushion  |   | ◆    |
| <b>FOOTREST</b>   |   |  |   |      |
| BPA0970   |   | Foot tube, rigid   |   | ◆    |
| BPA0980   |   | Foot tube, rigid with footplate cover  |   | £12  |
| BPA1000   |   | Footrest, high mounted, for knee to heel length 270 to 370 mm                              |   | £25  |
| <b>ARMRESTS/ SIDE GUARD LH TYPE</b>   |   |  |   |      |
| BPA1010   |   | Sideguard, removable, LH   |   | ◆    |
| BPA1020   |   | Mudguard, removable, LH  | (NC: 1570)  | £43  |
| BPA1030   |   | Armrest height adjustable, short pad (280 mm), LH  |   | £36  |
| BPA1040   |   | Armrest height adjustable, long pad (380 mm), LH   |   | £36  |
| BPA1050   |   | Armrest Flip-up, height adjustable, short pad (280 mm), LH                                 | (NC: 1690)  | £36  |
| BPA1060   |   | Armrest Flip-up, height adjustable, long pad (380 mm), LH                                  | (NC: 1690)  | £43  |
| <b>ARMRESTS/ SIDE GUARD RH TYPE</b>   |   |  |   |      |
| BPA1090   |   | Side guard, removable, RH  |   | ◆    |
| BPA1100   |   | Mudguard, removable, RH  | (NC: 1570)  | £43  |
| BPA1110   |   | Armrest height adjustable, short pad (280 mm), RH  |   | £36  |
| BPA1120   |   | Armrest height adjustable, long pad (380 mm), RH   |   | £36  |
| BPA1130   |   | Armrest Flip-up, height adjustable, short pad (280 mm), RH                                 | (NC: 1690)  | £36  |
| BPA1140   |   | Armrest Flip-up, height adjustable, long pad (380 mm), RH                                  | (NC: 1690)  | £43  |
| <b>FRAME</b>  |   |  |   |      |
| <b>FRAME COLOUR</b>   |   |  |   |      |
| BPA1200   |   | Anthracite Black   |   | ○    |
| BPA1210   |   | Grey   |   | ○    |
| BPA1220   |   | Blue   |   | ○    |
| BPA1230   |   | Red  |   | ○    |
| BPA1240   |   | Orange   |   | ○    |
| BPA1250   |   | Blasted Titanium   |   | ○    |
| <b>CASTOR ATTACHMENT TYPE</b>   |   |  |   |      |
| BPA1260   | X | Bearing block with angle adjustment  |   | ◆    |
| <b>FRONT CASTORS: 75mm (3") to 125mm (5") possible on Dynamic frame. 75mm (3") to 180 mm (7") possible on Active frame.</b> |   |  |   |      |
| BPA1270   |   | 75x24mm hard (3")  |   | ○    |
| BPA1280   |   | 100x27mm medium hard (4")  |   | ◆    |
| BPA1290   |   | 125x27mm medium hard (5")  |   | ○    |
| BPA1300   |   | 140x40mm soft (5,5")   |   | ○    |
| BPA1315   |   | 150x30mm medium hard (6")  |   | ○    |
| BPA1320   |   | 150x30mm soft (6")   |   | ○    |
| BPA1340   |   | 180x40mm soft (7")   |   | ○    |
| <b>FORKS</b>  |   |  |   |      |
| BPA1360   | X | Fixed steps  |   | ◆    |

| REAR WHEEL SIZE / TYPE (PLEASE NOTE COST OF MARATHON TYRE NEEDS TO BE ADDED TO OPTION BPA1400)  |   |   |                      |
|---|---|---|----------------------|
| BPA1370   | 559mm (22") Standard  | (NC: 1490,1510,1530,1540,1820)                              | ○                    |
| BPA1380   | 609mm (24") Standard  |   | ◆                    |
| BPA1390   | 609mm (24") Sporty, low profile (24x1") complete wheel with aluminium handrim and specific pneumatic tyre | (NC:1440,1450,1460,1470,1490,1510,1520,1530,1540,1600,1820) | ○                    |
| BPA1400   | 609mm (24") Sporty, low profile (24x1") complete wheel with aluminium handrim and marathon evolution tyre | (NC:1440,1450,1460,1470,1510,1520,1530,1540,1600,1820)      | £72                  |
| BPA1430   | 660mm (26") Low profile (26x1") complete wheel with aluminium handrim and specific pneumatic tyre         | (NC:1450,1460,1470,1490,1510,1520,1530,1540,1600,1820)      | £66                  |
| REAR WHEEL TYRE (For 559mm (22") & 609mm (24") Standard wheels only)  |   |   |                      |
| BPA1440   | Pneumatic non marking   |   | ○                    |
| BPA1450   | Pneumatic profiled  |   | ○                    |
| BPA1460   | Solid   |   | ◆                    |
| BPA1470   | Puncture proof  |   | ○                    |
| BPA1490   | Black marathon evolution tyre 6 -10 Bar   |   | £72                  |
| HANDRIM TYPE (For 559mm (22") and 609mm (24") standard rear wheels only)  |   |   |                      |
| BPA1500   | Handrim aluminium   |   | ◆                    |
| BPA1510   | Handrim stainless   |   | ○                    |
| BPA1520   | Handrim plastic coated  |   | £25                  |
| BPA1530   | Handrim foam coated   |   | £25                  |
| BPA1540   | Handrim black grip  |   | £25                  |
| REAR WHEEL FIXATION   |   |   |                      |
| BPA1560   | Standard rear wheel fixation  |   | ◆                    |
| BPA1570   | Rear wheel extension  | (NC: 1590,1620,1630,1700,1710,1820)                         | ○                    |
| CAMBER ANGLE  |   |   |                      |
| BPA1580   | 0° camber   |   | ◆                    |
| BPA1590   | 3° camber   | (NC: 1820)  | ○                    |
| WHEEL OPTIONS   |   |   |                      |
| BPA1600   | Spoke guard Frost (For 559mm (22") and 609mm (24") standard rear wheels only)                             |   | £43                  |
| SAFETY  |   |   |                      |
| BRAKES  |   |   |                      |
| BPA1610   | Standard brake lever bent   |   | ◆                    |
| BPA1620   | Performance brake   | (NC: 1670,1680,1820)  | £53                  |
| BPA1630   | Active brake  | (NC: 1670,1680,1820)  | £53                  |
| BPA1640   | One arm drive brake, including brake lever extension LH   | (NC: 1670,1680)   | £121                 |
| BPA1650   | One arm drive brake, including brake lever extension RH   | (NC: 1670,1680)   | £121                 |
| SAFETY OPTIONS  |   |   |                      |
| BPA1660   | Pelvic belt   |   | ○                    |
| BPA1670   | Brake lever extension, fold away, LH  |   | £12                  |
| BPA1680   | Brake lever extension, fold away, RH  |   | £12                  |
| BPA1690   | Auto lock for armrest   |   | £9                   |
| BPA1700   | Anti-tip devices, swing away, LH (For safety, 2 anti-tips are recommended)                                | (NC: 1711,1770)   | £33                  |
| BPA1701   | Anti-tip devices, extended, LH (For safety, 2 anti-tips are recommended)                                  | (NC: 1710,1790)   | £33                  |
| BPA1710   | Anti-tip devices, swing away, RH (For safety, 2 anti-tips are recommended)                                | (NC: 1780)  | £33                  |
| BPA1711   | Anti-tip devices, extended, RH (For safety, 2 anti-tips are recommended)                                  | (NC: 1800)  | £33                  |
| BPA1720   | Reflectors kit (wheels and chassis)   |   | £9                   |
| ACCESSORIES   |   |   |                      |
| BPA1760   | Pump (Please note: Pump will inflate to 5 Bar, not for use with Marathon Evolution Tyre)                  |   | £12                  |
| BPA1770   | Cane holder, LH   |   | £17                  |
| BPA1780   | Cane holder, RH   |   | £17                  |
| BPA1790   | Step tube / Tipper aid, LH  |   | £17                  |
| BPA1800   | Step tube / Tipper aid, RH  |   | £17                  |
| BPA1810   | Tool kit  |   | ◆                    |
| BPA1815   | Frame protectors  |   | £25                  |
| Note for E Motion plate: Standard wheels will be supplied, but if standard wheels are to be used in addition to E-Motion wheels, an axle conversion kit will be required in order for standard wheels to be fitted. See Alber order form for details. |   |   |                      |
| BPA1820   | E-Motion adaptor plate  |   | £182                 |
| PRICE   |   |   |                      |
|   |   |   | <b>Total Price £</b> |

| Non Conforming Options |  |
|------------------------|--|
| BPA0280                | Front seat to floor 510mm                                |
| BPA0290                | Front seat to floor 520mm                                |
| BPA0300                | Rear seat to floor 380mm                                 |
| BPA0310                | Rear seat to floor 390mm                                 |
| BPA0320                | Rear seat to floor 400mm                                 |
| BPA0330                | Rear seat to floor 410mm                                 |
| BPA0340                | Rear seat to floor 420mm                                 |
| BPA0350                | Rear seat to floor 430mm                                 |
| BPA0360                | Rear seat to floor 440mm                                 |
| BPA0370                | Rear seat to floor 450mm                                 |
| BPA0380                | Rear seat to floor 460mm                                 |
| BPA0390                | Rear seat to floor 470mm                                 |
| BPA0400                | Rear seat to floor 480mm                                 |
| BPA0530                | Knee to heel 370mm                                       |
| BPA0540                | Knee to heel 380mm                                       |
| BPA0550                | Knee to heel 390mm                                       |
| BPA0560                | Knee to heel 400mm                                       |
| BPA0570                | Knee to heel 410mm                                       |
| BPA0580                | Knee to heel 420mm                                       |
| BPA0590                | Knee to heel 430mm                                       |
| BPA0600                | Knee to heel 440mm                                       |
| BPA0610                | Knee to heel 450mm                                       |
| BPA0620                | Knee to heel 460mm                                       |
| BPA0630                | Knee to heel 470mm                                       |
| BPA0640                | Knee to heel 480mm                                       |
| BPA0680                | 200mm Fixed back   |
| BPA0690                | 250mm Fixed back   |
| BPA0700                | 300mm Fixed back   |
| BPA0710                | 350mm Fixed back   |
| BPA0720                | 300mm Height adjustable back (set at 300mm)              |
| BPA0730                | 320mm Height adjustable back (set at 320mm)              |
| BPA0740                | 350mm Height adjustable back (set at 350mm)              |
| BPA0750                | 370mm Height adjustable back (set at 370mm)              |
| BPA0760                | 390mm Height adjustable back (set at 390mm)              |
| BPA0770                | 400mm Height adjustable back (set at 400mm)              |
| BPA0780                | 420mm Height adjustable back (set at 420mm)              |
| BPA0790                | 440mm Height adjustable back (set at 440mm)              |
| BPA0800                | 450mm Height adjustable back (set at 450mm)              |
| BPA0810                | 470mm Height adjustable back (set at 470mm)              |
| BPA0820                | 490mm Height adjustable back (set at 490mm)              |
| BPA0830                | Fixed push handles                                       |
| BPA0840                | Foldable push handles                                    |
| BPA0850                | Height adj push handles short grip                       |
| BPA0860                | Height adjustable push handles long grip for drum brakes |
| BPA0870                | Height adj push handles including neckrest long grip     |
| BPA0880                | Height adj push handles including headrest long grip     |
| BPA0900                | Without push handles                                     |
| BPA0970                | Foot tube rigid  |
| BPA0980                | Foot tube rigid with footplate cover                     |
| BPA1000                | Footrest high mounted for knee to heel 270 - 370mm       |
| BPA1270                | 75x24mm hard castor (3")                                 |
| BPA1280                | 100x27mm medium hard castor (4")                         |
| BPA1290                | 125x27mm medium hard castor (5")                         |
| BPA1300                | 140x37 soft castor (5,5")                                |
| BPA1315                | 150x30 medium hard castor (6")                           |
| BPA1320                | 150x30 soft castor (6")                                  |
| BPA1340                | 180x40 soft castor (7")                                  |
| BPA1370                | 22" Standard wheel                                       |
| BPA1380                | 24" Standard wheel                                       |
| BPA1390                | 24" Sporty wheel pneu tyre                               |
| BPA1400                | 24" Sporty wheel marathon evolution tyre                 |
| BPA1430                | 26" low profile wheel                                    |
| BPA1440                | Pneumatic tyres non-marking                              |
| BPA1450                | Pneumatic profiled tyres                                 |

| Non Conforming Options |                                    |
|------------------------|------------------------------------|
| BPA1460                | Solid tyres                        |
| BPA1470                | Puncture proof tyres               |
| BPA1490                | Tyres black marathon evolution     |
| BPA1500                | Aluminium handrim                  |
| BPA1510                | Handrim stainless                  |
| BPA1520                | Plastic coated handrim             |
| BPA1530                | Handrim foam coated                |
| BPA1540                | Handrim black grip                 |
| BPA1560                | Standard rear wheel fixation       |
| BPA1570                | Rear wheel extension               |
| BPA1590                | 3 Degree camber                    |
| BPA1600                | Spokeguard frost                   |
| BPA1620                | Performance brake                  |
| BPA1630                | Active brake                       |
| BPA1640                | OAD brake LH                       |
| BPA1650                | OAD brake RH                       |
| BPA1670                | Brake lever extension fold away LH |
| BPA1680                | Brake lever extension fold away RH |
| BPA1690                | Auto lock for armrest              |
| BPA1700                | Anti-Tip devices swingaway LH      |
| BPA1701                | Anti-Tip devices extended LH       |
| BPA1710                | Anti-Tip devices swingaway RH      |
| BPA1711                | Anti-Tip devices extended RH       |
| BPA1770                | Cane holder LH                     |
| BPA1780                | Cane holder RH                     |
| BPA1790                | Step tube LH                       |
| BPA1800                | Step tube RH                       |
| BPA1820                | E Motion mounting bracket          |

**REAR SEAT TO FLOOR / REAR WHEEL SIZE**

22" : 380-450 mm

24" : 400-470 mm

26" : 410-480 mm

**FRONT SEAT TO FLOOR HEIGHT WITH ACTIVE FRAME CASTOR SIZE**

3" : 400-480 mm

4" : 410-490 mm

5" : 430-510 mm

5,5" : 440-510 mm

6" : 450-520 mm

7" : 480-520 mm

**FRONT SEAT TO FLOOR HEIGHT WITH DYNAMIC FRAME CASTOR SIZE**

3" : 400-480 mm

4" : 410-490 mm

5" : 430-500 mm

**Backrest height**

| Fixed  | Height adjustable        |
|--------|--------------------------|
| 200 mm | 300-320 mm (20 mm step)  |
| 250 mm | 350-390 mm (20 mm steps) |
| 300 mm | 400-440 mm (20 mm steps) |
| 350 mm | 450-490 mm (20 mm steps) |



Please refer to our Invacare Unique special order form, for more complex custom requirements. Available at [www.invacare.co.uk](http://www.invacare.co.uk)

**Special Instructions - Please supply the following information:**

**Name:**

**Email:**

**Phone:**

**Fax:**

**Description of special request (please include relevant option code or part number):**