

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online spares available at: www.invacare.co.uk

January 2019

Customer Ref:	Account No :
Contact No:	Order No :
Delivery address :	Order Qty :
	Order Date :

Invacare® XLT Swing Away Frame
RETAIL
Maximum user weight 135 Kg (21 Stone)

Standard Features



Lightweight Titanium Rigid Frame with Fixed 80° or 90° Swing In/Out Legrest Hangers
Choice of 8 Seat Widths 330mm - 505mm (13" - 20")
Choice of 3 Adjustable Seat Depths 360mm - 500mm (14" - 20")
Lockdown Folding Backrest, Angle Adjustable, Tension Adjustable Upholstery
Removable Siderests, Choice of 6 Frame Colours, Standard Brake Lever Bent
Self Propel with 22" & 24" Quick Release Rear Wheels



Standard Base Price £1,542

	X	Please make your selection with a cross in the box	◆ Standard feature	○ Free of Charge	
		Customer weight =	Kg		
Code		Description			Retail
BRA0010		Invacare® XLT Swing			£1,542
BRZ0010		XLT Swing Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM			POA
Propulsion Type					
BRA0020		Standard wheel hub		◆	
BRA0030		Assistant manoeuvred drumbrakes	(NC: 0400,0710,0860,0870,0880,0930,1560,1570,1585,1600,1660,1760,1990)		£256
BRA0040		One arm drive LH	(NC: 0055,0310,0320,0400,1540,1560,1570,1585,1600,1610,1640,1660,1670,1680,1690,1700,1710,1730,1740,1760,1770,1820,1850,1871,1881,1940,1950,1990)		£353
BRA0050		One arm drive RH	(NC:0055,0310,0320,0400,1540,1560,1570,1585,1600,1610,1640,1660,1670,1680,1690,1700,1710,1730,1740,1760,1770,1810,1840,1871,1881,1940,1950,1990)		£353
SEAT WIDTH (SW)					
BRA0055		Seat width 330 mm	(NC: 0150,0438,0439,0440,1000,1020,1040,1060,1100,1110,1130,1810,1820,1990)		○
BRA0060		Seat width 355 mm	(NC: 0438,0439,0440,1020,1060,1100,1110,1130,1810,1820,1990)		○
BRA0070		Seat width 380 mm			○
BRA0080		Seat width 405 mm			○
BRA0090		Seat width 430 mm			○
BRA0100		Seat width 455 mm			○
BRA0110		Seat width 480 mm			○
BRA0120		Seat width 505 mm			○
SEAT DEPTH (SD)					
BRA0130		400 mm (adjustable from seat depth 360 to 400 mm)	(NC: 1800)		◆
BRA0140		450 mm (adjustable from seat depth 410 to 450 mm)			○
BRA0150		500 mm (adjustable from seat depth 460 to 500 mm)			○
FRONT SEAT TO FLOOR HEIGHT (PLEASE SEE TABLE BELOW)					
BRA0170		390mm	(NC:0330,0340,0350,0360,0370,0380,0390,0400,0500,0510,0520,0530,0540,0550,0560,0570,0580,0590,0600,0610,0620,1450,1460,1470,1485,1490,1510)		○
BRA0180		400mm	(NC: 0340,0350,0360,0370,0380,0390,0400,0510,0520,0530,0540,0550,0560,0570,0580,0590,0600,0610,0620,1450,1460,1470,1485,1490,1510)		○
BRA0190		410mm	(NC: 0360,0370,0380,0390,0400,0520,0530,0540,0550,0560,0570,0580,0590,0600,0610,0620,1440,1460,1470,1485,1490,1510)		○
BRA0200		420mm	(NC:0360,0370,0380,0390,0400,0430,0530,0540,0550,0560,0570,0580,0590,0600,0610,0620,1440,1460,1470,1485,1490,1510,1520)		○

BRA0210		430mm	(NC: 0370,0380,0390,0400,0540,0550,0560,0570,0580,0590,0600,0610,0620,1470,1485,1490,1510)	○
BRA0220		440mm	(NC: 0380,0390,0400,0550,0560,0570,0580,0590,0600,0610,0620,1485,1490,1510)	○
BRA0230		450mm	(NC: 0390,0400,0560,0570,0580,0590,0600,0610,0620,0630,0640,1440,1510)	○
BRA0240		460mm	(NC: 0310,0570,0580,0590,0600,0610,0620,1440,1450,1460,1485,1490,1510)	○
BRA0250		470mm	(NC: 0310,0320,0580,0590,0600,0610,0620,1510)	○
BRA0260		480mm	(NC: 0310,0320,0590,0600,0610,0620)	◆
BRA0270		490mm	(NC: 0310,0320,0330,0600,0610,0620,1440,1460,1485,1490)	○
BRA0280		500mm	(NC: 0310,0320,0330,0610,0620,1440,1450)	○
BRA0290		510mm	(NC: 0310,0320,0330,0340,0350,0620,1440,1450)	○
BRA0300		520mm	(NC: 0310,0320,0330,0340,0350,0360,1440,1450,1460,1470)	○
REAR SEAT-TO-FLOOR (PLEASE SEE TABLE BELOW)				
BRA0310		380mm	(NC: 1550,1560,1570,1600)	○
BRA0320		390mm	(NC: 1550,1560,1570,1600)	○
BRA0330		400mm	(NC: 1600)	○
BRA0340		410mm		○
BRA0350		420mm		○
BRA0360		430mm		○
BRA0370		440mm		◆
BRA0380		450mm	(NC: 1540)	○
BRA0390		460mm	(NC: 1540)	○
BRA0400		470mm	(NC: 1540,1550,1560,1570)	○
KNEE-TO-HEEL LENGTH (UL) UL < FSF -6cm (SEAT CANVAS TO FOOTPLATE LENGTH)				
STANDARD FOOTPLATE				
BRA0438		260mm (Only with hanger fixed 90°)	(NC: 1000,1010,1040,1050)	○
BRA0439		270mm (Only with hanger fixed 90°)	(NC: 1000,1010,1040,1050)	○
BRA0440		280mm (Only with hanger fixed 90°)	(NC: 1000,1010,1040,1050)	○
BRA0450		290mm		○
BRA0460		300mm		○
BRA0470		310mm		○
BRA0480		320mm		○
BRA0490		330mm		○
BRA0500		340mm		○
BRA0510		350mm		◆
BRA0520		360mm		○
BRA0530		370mm (Only with Hanger angle adjustable or Hanger fixed 80°)	(NC: 1020,1060)	○
BRA0540		380mm (Only with Hanger angle adjustable or Hanger fixed 80°)	(NC: 1020,1060)	○
BRA0550		390mm (Only with Hanger angle adjustable or Hanger fixed 80°)	(NC: 1020,1060)	○
BRA0560		400mm		○
BRA0570		410mm		○
BRA0580		420mm		○
BRA0590		430mm		○
BRA0600		440mm		○
BRA0610		450mm		○
BRA0620		460mm		○
BACKREST				
BACKREST TYPE / VELCRO TENSION ADJUSTABLE				
BRA0680		Fixed height, angle adjustable, foldable with bent backrest tubes	(NC: 0750,0760,0770,0780,0790,0800,0810,0820,0830,0840,0850)	◆
BRA0685		Fixed height, angle adjustable, foldable with straight backrest tubes	(NC: 0750,0760,0770,0780,0790,0800,0810,0820,0830,0840,0850)	○
BRA0690		Height & angle adjustable, foldable with bent backrest tubes	(NC: 0710,0720,0730,0740)	○
BRA0693		Height & angle adjustable, foldable with straight backrest tubes	(NC: 0710,0720,0730,0740)	○
BACKREST HEIGHT				
NOTE THE XLT CANNOT BE USED AS A SEAT DURING TRANSPORTATION IF THE BACK HEIGHT IS LOWER THAN 400MM				
IMPORTANT NOTE: IT IS RECOMMENDED THAT A HEADREST IS FITTED DURING TRANSPORTATION				
FIXED BACKREST				
BRA0710		200mm	(NC: 0880,0890,0900,0910)	○
BRA0720		250mm		○
BRA0730		300mm		◆
BRA0740		350mm		○

HEIGHT ADJUSTABLE BACKREST			
BRA0750		300mm (Height adjustable from 300mm to 320mm in 20mm increments)	○
BRA0760		320mm (Height adjustable from 300mm to 320mm in 20mm increments)	○
BRA0770		350mm (Height adjustable from 350mm to 390mm in 20mm increments)	○
BRA0780		370mm (Height adjustable from 350mm to 390mm in 20mm increments)	○
BRA0790		390mm (Height adjustable from 350mm to 390mm in 20mm increments)	○
BRA0800		400mm (Height adjustable from 400mm to 440mm in 20mm increments)	○
BRA0810		420mm (Height adjustable from 400mm to 440mm in 20mm increments)	○
BRA0820		440mm (Height adjustable from 400mm to 440mm in 20mm increments)	○
BRA0830		450mm (Height adjustable from 450mm to 490mm in 20mm increments)	○
BRA0840		470mm (Height adjustable from 450mm to 490mm in 20mm increments)	○
BRA0850		490mm (Height adjustable from 450mm to 490mm in 20mm increments)	○
PUSH HANDLES			
BRA0860		Fixed push handles	◆
BRA0870		Foldable push handles	£142
BRA0880		Height adjustable push handles, external, short grip	£51
BRA0890		Height adjustable push handles, external, long grip for drum brakes	£51
BRA0900		Height adjustable push handles, external, including neckrest, long grip for drum brakes	£84
BRA0910		Height adjustable push handles, external, including headrest, long grip for drum brakes	£106
BRA0930		Without Push Handles	○
SEAT TYPE			
BRA0940		Velcro tension and depth adjustable by 40mm	◆
SEAT CUSHION			
BRA0960		Standard seat cushion	◆
LEGRESTS / HANGERS LH TYPE			
BRA1000		Hanger angle adjustable Alu2003 including calf support, LH Black only (NC: 1080,1100)	£64
BRA1010		Hanger fixed 80°, swing in swing out - alu 2003, LH	◆
BRA1020		Hanger fixed 90°, swing in swing out - alu 2003, LH (NC: 1510)	○
LEGRESTS / HANGERS RH TYPE			
BRA1040		Hanger angle adjustable Alu2003 including calf support, RH Black only (NC: 1080,1100)	£64
BRA1050		Hanger fixed 80°, swing in swing out - alu 2003, RH	◆
BRA1060		Hanger fixed 90°, swing in swing out - alu 2003, RH (NC: 1510)	○
LEGRESTS / HANGER COLOUR			
BRA1080		As the chassis colour	○
BRA1090		Black	○
FOOTREST			
ONE PIECE FOOTPLATE (with Calfstrap, see option BRA1350 for cost)			
BRA1100		Footrest one piece, flip-up, depth- and angle adjustable (NC: 1110,1120,1130,1140,1340)	£100
FOOTRESTS LH TYPE			
BRA1110		Footrest lower part, fixed, LH	◆
BRA1120		Footrest lower part, depth and angle adjustable, LH	£36
FOOTRESTS RH TYPE			
BRA1130		Footrest lower part, fixed, RH	◆
BRA1140		Footrest lower part, depth and angle adjustable, RH	£36
ARMRESTS/ SIDE GUARD LH TYPE			
BRA1150		Side guard, removable, LH	◆
BRA1160		Mudguard, removable, LH (NC: 1740)	£43
BRA1170		Armrest height adjustable, short pad (280 mm), LH	£36
BRA1180		Armrest height adjustable, long pad (380 mm), LH	£36
BRA1190		Armrest Flip-up, height adjustable, short pad (280 mm), LH (NC: 1860)	£36
BRA1200		Armrest Flip-up, height adjustable, long pad (380 mm), LH (NC: 1860)	£43
ARMRESTS/ SIDE GUARD RH TYPE			
BRA1230		Side guard, removable, RH	◆
BRA1240		Mudguard, removable, RH (NC: 1740)	£43
BRA1250		Armrest height adjustable, short pad (280 mm), RH	£36
BRA1260		Armrest height adjustable, long pad (380 mm), RH	£36
BRA1270		Armrest Flip-up, height adjustable, short pad (280 mm), RH (NC: 1860)	£36
BRA1280		Armrest Flip-up, height adjustable, long pad (380 mm), RH (NC: 1860)	£43
LEGREST / FOOTREST OPTIONS			
BRA1340		Heel loops	£17
BRA1350		Calf strap	£12
FRAME			
FRAME COLOUR			
BRA1380		Anthracite Black	○
BRA1390		Grey	○
BRA1400		Blue	○
BRA1410		Red	○
BRA1420		Orange	○

CASTOR ATTACHMENT TYPE			
BRA1430		Bearing block with angle adjustment	◆
FRONT CASTORS			
BRA1440		75x24 hard (3")	○
BRA1450		100x27 medium hard (4")	◆
BRA1460		125x27 medium hard (5")	○
BRA1470		140x40mm soft (5,5")	○
BRA1485		150x30 medium hard (6")	○
BRA1490		150x30 soft (6")	○
BRA1510		180x40 soft (7")	○
FORKS			
BRA1530	X	Fixed steps	◆
REAR WHEEL SIZE / TYPE (PLEASE NOTE COST OF MARATHON TYRE NEEDS TO BE ADDED TO OPTION BRA1570)			
BRA1540		559mm (22") Standard (NC: 1660,1680,1700,1710,1990)	○
BRA1550		609mm (24") Standard	◆
BRA1560		609mm (24") Sporty, low profile (24x1") Complete wheel with aluminium handrim and specific pneumatic tyre (NC: 1610,1620,1630,1640,1660,1680,1690,1700,1710,1770,1990)	○
BRA1570		609mm (24") Sporty, low profile (24x1") Complete wheel with aluminium handrim and Marathon Evolution tyre (NC: 1610,1620,1630,1640,1680,1690,1700,1710,1770,1990)	£72
BRA1600		660mm (26") Low profile pneumatic (26x1") Complete wheel with aluminium handrims and specific pneumatic tyre (NC: 1620,1630,1640,1660,1680,1690,1700,1710,1770,1990)	£66
REAR WHEEL TYRE			
BRA1610		Pneumatic non marking	○
BRA1620		Pneumatic profiled	○
BRA1630		Solid	◆
BRA1640		Puncture proof	○
BRA1660		Black marathon evolution (Only for 609mm (24") standard rear wheel) (NC: 1930)	£72
HANDRIM TYPE Only available for 559mm (22") and 609mm (24") standard rear wheels.			
BRA1670		Handrim aluminium	◆
BRA1680		Handrim stainless	○
BRA1690		Handrim plastic coated	£25
BRA1700		Handrim foam coated	£25
BRA1710		Handrim black grip	£25
REAR WHEEL FIXATION			
BRA1730		Standard rear wheel fixation	◆
BRA1740		Rear wheel extension (NC: 1760,1800,1870,1880,1990)	○
CAMBER ANGLE			
BRA1750		0° camber	◆
BRA1760		3° camber (NC: 1990)	○
WHEEL OPTIONS			
BRA1770		Spokeguard Frost (Only available for 559mm (22") and 609mm (24") standard rear wheels)	£43
SAFETY			
BRAKES			
BRA1780		Standard brake lever bent	◆
BRA1800		Active brake (NC: 1840,1850,1990)	£53
BRA1810		One arm drive including brake lever extension LH (NC: 1840,1850)	£121
BRA1820		One arm drive including brake lever extension RH (NC: 1840,1850)	£121
SAFETY OPTIONS			
BRA1830		Pelvic belt	○
BRA1840		Brake lever extension, fold away, LH	£12
BRA1850		Brake lever extension, fold away, RH	£12
BRA1860		Auto lock for armrest	£9
BRA1870		Anti-tip devices, swing away, LH (For safety, 2 anti-tips are recommended) (NC: 1940)	£33
BRA1871		Anti-tip devices, extended, LH (For safety, 2 anti-tips are recommended) (NC: 1960)	£33
BRA1880		Anti-tip devices, swing away, RH (For safety, 2 anti-tips are recommended) (NC: 1950)	£33
BRA1881		Anti-tip devices, extended, RH (For safety, 2 anti-tips are recommended) (NC: 1970)	£33
BRA1890		Reflectors kit (wheels and chassis)	£9
ACCESSORIES			
BRA1930		Pump (Please note: Pump will inflate to 5 Bar, not for use with Marathon Evolution Tyre)	£12
BRA1940		Cane holder, LH	£17
BRA1950		Cane holder, RH	£17
BRA1960		Step tube / Tipper aid, LH	£17
BRA1970		Step tube / Tipper aid, RH	£17
BRA1980		Tool kit	◆
Note for E Motion plate: Standard wheels will be supplied, but if standard wheels are to be used in addition to E-Motion, an adapter plate will be required in order for standard wheels to be fitted. See Alber order form for details			
BRA1990		E-Motion adaptor plate	£182
PRICE			
Total Price			£

Non Conforming Options	
BRA0055	330mm Seat width
BRA0150	500mm Seat depth
BRA0310	Rear seat to floor 380mm
BRA0320	Rear seat to floor 390mm
BRA0330	Rear seat to floor 400mm
BRA0340	Rear seat to floor 410mm
BRA0350	Rear seat to floor 420mm
BRA0360	Rear seat to floor 430mm
BRA0370	Rear seat to floor 440mm
BRA0380	Rear seat to floor 450mm
BRA0390	Rear seat to floor 460mm
BRA0400	Rear seat to floor 470mm
BRA0438	Knee to heel 260mm
BRA0439	Knee to heel 270mm
BRA0440	280mm Knee to heel (Only with hanger fixed 90°)
BRA0500	340mm Knee to heel
BRA0510	350mm Knee to heel
BRA0520	360mm Knee to heel
BRA0530	370mm Knee to heel (Only with Hanger angle adjustable or Hanger fixed 80°)
BRA0540	380mm Knee to heel (Only with Hanger angle adjustable or Hanger fixed 80°)
BRA0550	390mm Knee to heel (Only with Hanger angle adjustable or Hanger fixed 80°)
BRA0560	400mm Knee to heel
BRA0570	410mm Knee to heel
BRA0580	420mm Knee to heel
BRA0590	430mm Knee to heel
BRA0600	440mm Knee to heel
BRA0610	450mm Knee to heel
BRA0620	460mm Knee to heel
BRA0710	200mm Fixed backrest
BRA0720	250mm Fixed backrest
BRA0730	300mm Fixed backrest
BRA0740	350mm Fixed backrest
BRA0750	300mm Adjustable back (Height adjustable from 300mm to 320mm in 20mm increments)
BRA0760	320mm Adjustable back (Height adjustable from 300mm to 320mm in 20mm increments)
BRA0770	350mm Adjustable back (Height adjustable from 350mm to 390mm in 20mm increments)
BRA0780	370mm Adjustable back (Height adjustable from 350mm to 390mm in 20mm increments)
BRA0790	390mm Adjustable back (Height adjustable from 350mm to 390mm in 20mm increments)
BRA0800	400mm Adjustable back (Height adjustable from 400mm to 440mm in 20mm increments)
BRA0810	420mm Adjustable back (Height adjustable from 400mm to 440mm in 20mm increments)
BRA0820	440mm Adjustable back (Height adjustable from 400mm to 440mm in 20mm increments)
BRA0830	450mm Adjustable back (Height adjustable from 450mm to 490mm in 20mm increments)
BRA0840	470mm Adjustable back (Height adjustable from 450mm to 490mm in 20mm increments)
BRA0850	490mm Adjustable back (Height adjustable from 450mm to 490mm in 20mm increments)
BRA0860	Fixed push handles
BRA0870	Foldable push handles
BRA0880	Height adjustable push handles, external, short grip
BRA0890	Height adjustable push handles long grip
BRA0900	Height adjustable push handles, external, including neckrest, and long handgrip
BRA0910	Height adjustable push handles, external, including headrest, and long handgrip
BRA0930	Without push handles
BRA1000	Hanger angle adjustable - Alu2003 including calf support, LH (Only in black)
BRA1010	Hanger fixed 80°, swing in swing out - alu 2003, LH
BRA1020	Hanger fixed 90°, swing in swing out - alu 2003, LH
BRA1040	Hanger angle adjustable - Alu2003 including calf support, RH (Only in black)
BRA1050	500mm Seat depth (adjustable from seat depth 460 to 500mm)
BRA1060	Hanger fixed 90°, swing in swing out - alu 2003, RH
BRA1080	400mm front seat to floor
BRA1100	Footrest one piece, flip-up, depth- and angle adjustable
BRA1110	Footrest lower part, fixed, LH
BRA1120	Footrest lower part, depth- and angle adjustable, LH
BRA1130	Footrest lower part, fixed, RH
BRA1140	Footrest lower part, depth- and angle adjustable, RH
BRA1340	Heel loops
BRA1450	Castor 100x27 medium hard (4")
BRA1460	Castor 125x27 medium hard (5")
BRA1470	Castor 140x37 soft (5,5")
BRA1485	Castor 150x27 medium hard (6")
BRA1490	Castor 150x30 medium hard (6")
BRA1510	Castor 150x30 soft (6")
BRA1540	22" Standard
BRA1550	24" Standard
BRA1560	24" Sporty, low profile (24x1"), aluminium handrims (Complete wheel)
BRA1570	24" Sporty, low profile (24x1"), black marathon evolution, aluminium handrims
BRA1600	26" Low profile (26x1"), aluminium handrims (Complete wheel)

Non Conforming Options	
BRA1610	Pneumatic non marking tyre
BRA1620	Pneumatic profiled tyre
BRA1630	Solid tyre
BRA1640	Puncture proof rear tyre
BRA1660	Black marathon evolution (Only for 24" standard rear wheel and 24" Sporty)
BRA1670	Aluminium handrim
BRA1680	Handrim stainless
BRA1690	Plastic coated handrim
BRA1700	Handrim foam coated
BRA1710	Handrim black grip
BRA1730	Standard rear wheel fixation
BRA1740	Rear wheel extension
BRA1760	3 Deg camber
BRA1770	Spoke guard Frost (Only for 22" and 24" standard rear wheels)
BRA1800	Küschall active brake
BRA1810	One arm drive brake RH
BRA1820	One arm drive brake LH
BRA1840	Brake lever extn fold away LH
BRA1850	Brake lever extn fold away RH
BRA1860	Auto lock for armrest
BRA1870	Anti tip devices swingaway LH
BRA1871	Anti tippers extended LH
BRA1880	Anti tip devices swingaway RH
BRA1881	Anti tippers extended RH
BRA1930	Pump (Please note: Pump will inflate to 5 Bar, not for use with Marathon Evolution Tyre)
BRA1940	Cane holder, LH
BRA1950	Cane holder, RH
BRA1960	Step tube/tipper aid LH
BRA1970	Step tube/tipper aid RH
BRA1990	E Motion adaptor plate

Castor Size/Front Seat Height

3" : 39-48 cm
 4" : 41-49 cm
 5" : 43-51 cm
 5,5" : 44-51 cm
 6" : 45-52 cm
 7" : 48-52 cm

Rear wheel size/Rear Seat Height

22" : 38-44 cm
 24" : 40-46 cm
 26" : 41-47 cm

Backrest height

Fixed	Height adjustable
20 cm	30-32 cm (2 cm step)
25 cm	35-39 cm (2 cm steps)
30 cm	40-44 cm (2 cm steps)
35 cm	45-49 cm (2 cm steps)



Please refer to our Invacare Unique special order form, for more complex custom requirements. Available at www.invacare.co.uk

Special Instructions - Please supply the following information:

Name: _____ **Email:** _____

Phone: _____ **Fax:** _____

Description of special request (please include relevant option code or part number):