

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online spares available at: www.invacare.co.uk

January 2019

| Customer Ref:     | Account No : |
|-------------------|--------------|
| Contact No:       | Order No :   |
| Delivery address: | Order Qty :  |
|                   | Order Date : |

CE

# küschall® champion **SK**

#### **Standard Features**

- Max user weight 120kg (19 Stone)
- Active, Lightweight, Folding Aluminium Wheelchair with Folding Front Frame
- Multiple adjustments, Front & Rear Seat Heights and Centre of Gravity
- Aluminium Folding Front Frame with 75° or 85° Front Angle Options
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Schwalbe Black & Grey Pneumatic Tyres
- Choice of 6 Seat Widths 360mm to 460mm (14" 18")
- Choice of 8 Seat Depths 340mm to 480mm (13" 19")
- Choice of 13 Frame Colours
- Range of Front Seat Heights from 450mm to 540mm (17" 21")
- Range of Rear Seat Heights from 390mm to 490mm (15" 19")
- Angle Adjustable, Soft Locking, Folding Backrest with Nylon Light Upholstery
- Angle Adjustable Flip Up Footrest with Calf Strap
- Without Push Handles, Flip up Carbon Clothesguards, Unfolding strap
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

## Standard Base Price £2,515

|            |        | Standard Base Frice 12,515   |        |
|------------|--------|--|--------|
|            | Х      | Please make your selection with a cross in the box   ◆ Standard feature   ○ Free of Charge |        |
|            |        | Customer weight = Kg   |        |
| Code       | Х      | Description  | Retail |
| DDC0031    |        | Kuschall Champion  | £2,515 |
| DDC0000    |        | MY Kuschall Special Construction Fill in all information at the end of the order form      | P.O.A. |
| ALUMINIUM  | FRONT  | FRAME  |        |
| DDC0203    |        | 75° Aluminium folding front frame  | •      |
| DDC0212    |        | 85° Aluminium folding front frame  | 0      |
| FOLDING FF | RONT F | RAME   |        |
| DDC0299    | Х      | Kuschall Champion SK with folding front frame  | •      |

## SEAT WIDTH (SW) & SEAT DEPTH (SD)

|                  |                  | Seat Width in mm |                  |                  |                  |                  |                  |  |  |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|--|
|                  |                  | 360mm<br>DDC0126 | 380mm<br>DDC0128 | 400mm<br>DDC0130 | 420mm<br>DDC0132 | 440mm<br>DDC0134 | 460mm<br>DDC0136 |  |  |
|                  | 340mm<br>DDC0410 | 0                | 0                | 0                | 0                | 0                | 0                |  |  |
|                  | 360mm<br>DDC0412 | 0                | 0                | o                | 0                | o                | 0                |  |  |
| ۽                | 380mm<br>DDC0415 | 0                | 0                | 0                | 0                | 0                | 0                |  |  |
| Seat Depth in mm | 400mm<br>DDC0417 | 0                | 0                | 0                | 0                | 0                | 0                |  |  |
| eat Dep          | 420mm<br>DDC0419 | 0                | 0                | 0                | 0                | 0                | 0                |  |  |
| S                | 440mm<br>DDC0421 | 0                | 0                | 0                | 0                | 0                | 0                |  |  |
|                  | 460mm<br>DDC0424 | o                | o                | o                | o                | o                | 0                |  |  |
|                  | 480mm<br>DDC0427 | 0                | o                | o                | 0                | o                | 0                |  |  |

Matrx Libra cushion is compatible with seat sizes 360-460mm wide and 400-460mm deep

Matrx Vi cushion is compatible with seat sizes 360-460mm wide and 400-460mm deep

Seat width 360mm on Matrx Libra & Vi cushions is only available with 400mm & 420mm seat depths

Seat widths 360mm & 380mm are not available with Fixation strap DDC1722

Seat widths 440mm & 460mm are not available with light seat upholstery, option DDC0615

Seat depths 340mm, 440mm, 460mm & 480mm are not available with light seat upholstery, option DDC0615

Order No

#### BACK HEIGHT (BH)

| Backrest Height in mm |           |         |              |         |             |         |   |  |  |  |
|-----------------------|-----------|---------|--------------|---------|-------------|---------|---|--|--|--|
| 300mm                 |           | 315mm   | Ducki est    | 330mm   |             | 345mm   |   |  |  |  |
| DDC0550               | 0         | DDC0503 | o            | DDC0506 | 0           | DDC0509 | 0 |  |  |  |
|                       | <b>——</b> |         |              |         | <b>——</b> ' |         |   |  |  |  |
| 360mm                 | 0         | 375mm   | О            | 390mm   | 0           | 405mm   | О |  |  |  |
| DDC0512               | <u> </u>  | DDC0514 | <b>└──</b> ' | DDC0516 | <u> </u>    | DDC0518 |   |  |  |  |
| 420mm                 |           | 435mm   | 1 - '        | 450mm   |             | 465mm   |   |  |  |  |
| DDC0520               | 0         | DDC0522 | 0            | DDC0524 | 0           | DDC0526 | 0 |  |  |  |

Back heights 300mm & 315mm are not compatible with Standard light upholstery DDC0700

Back heights lower than 405mm are not compatible with Backrest stabilization bar, option DDC1491

### FRONT SEAT-TO-FLOOR HEIGHT (FSTF)

| Front Seat to Floor in mm |                  |                  |                  |                  |  |  |  |  |  |  |  |
|---------------------------|------------------|------------------|------------------|------------------|--|--|--|--|--|--|--|
| 450mm<br>DDC0847          | 460mm<br>DDC0848 | 470mm<br>DDC0849 | 480mm<br>DDC0850 | 490mm<br>DDC0851 |  |  |  |  |  |  |  |
| О                         | 0                | 0                | 0                | 0                |  |  |  |  |  |  |  |
| 500mm                     | 510mm            | 520mm            | 530mm            | 540mm            |  |  |  |  |  |  |  |
| DDC0852                   | DDC0853          | DDC0854          | DDC0855          | DDC0856          |  |  |  |  |  |  |  |
| 0                         | 0                | 0                | 0                | 0                |  |  |  |  |  |  |  |

3" castors are not available with Front seat height 530mm & 540mm

4" castors are not available with Front seat height 540mm

Please use a combination of both tables below to determine the correct castor size in relation to the specification required

|                 |                   |              |                      |              | frame        |                      |              |
|-----------------|-------------------|--------------|----------------------|--------------|--------------|----------------------|--------------|
|                 |                   | 340          | eat dept<br>mm - 380 | Omm          | 400          | eat dept<br>mm - 480 |              |
|                 | Front seat height | 3"<br>castor | 4"<br>castor         | 5"<br>castor | 3"<br>castor | 4"<br>castor         | 5"<br>castor |
|                 | 540mm             |              |                      | ✓            |              | ✓                    | ✓            |
|                 | 530mm             |              | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| ٠               | 520mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| 75° frame angle | 510mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| )e a            | 500mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| ran             | 490mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| , c             | 480mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
|                 | 470mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
|                 | 460mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
|                 | 450mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
|                 | 540mm             |              |                      | <b>✓</b>     |              | ✓                    | ✓            |
|                 | 530mm             |              | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| 9               | 520mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| lgu             | 510mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| ЭE              | 500mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| ra.             | 490mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| 85° frame angle | 480mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| - ∞             | 470mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
|                 | 460mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |
| I               | 450mm             | ✓            | ✓                    | ✓            | ✓            | ✓                    | ✓            |

Please use this table to determine the front castor size based on seat depth, front frame angle and front seat height.

|                 |   | Footplate set to the front Footplate set to t |                                     |              |              |              |              | et to the    | rear         |              |               |              |              |
|-----------------|---|---|-------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|
|                 |   |   | Seat depths Seat depths Seat depths |              |              |              |              |              | eat dept     |              |               |              |              |
|                 |   | 340   | mm - 38                             | 0mm          | 400ı         | mm - 480     | )mm          | 340          | nm - 380     | 0mm          | 400mm - 480mm |              |              |
|                 | Seat angle<br>(Difference between front &<br>rear seat heights) | 3"<br>castor                                  | 4"<br>castor                        | 5"<br>castor | 3"<br>castor | 4"<br>castor | 5"<br>castor | 3"<br>castor | 4"<br>castor | 5"<br>castor | 3"<br>castor  | 4"<br>castor | 5"<br>castor |
|                 | 0mm   | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            |              |              | ✓             |              |              |
| ٥               | 10mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ~            | ✓            | ✓            |              | ✓             | ✓            |              |
| frame angle     | 20mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | <b>✓</b>     |              | ✓             | ✓            |              |
| le a            | 30mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            |              | ✓             | ✓            |              |
| ran             | 40mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | <b>✓</b>     | ✓            | ✓             | ✓            |              |
| 75° f           | 50mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            | ✓             | ✓            | ✓            |
|                 | 60mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | <b>✓</b>     | ✓            | ✓             | ✓            | ✓            |
|                 | 70mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            | ✓             | ✓            | ✓            |
|                 | 30mm  | ✓   | ✓                                   |              | ✓            | ✓            |              |              |              |              |               |              |              |
| 0               | 40mm  | ✓   | ✓                                   |              | ✓            | ✓            |              | ✓            |              |              |               |              |              |
| lgu             | 50mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            |              | ✓            |              |              | ✓             |              |              |
| e a             | 60mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            |              |              | ✓             |              |              |
| ran             | 70mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            |              | ✓             |              |              |
| 85° frame angle | 80mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            |              | ✓             |              |              |
| ∞               | 90mm  | ✓   | ✓                                   | ✓            | ✓            | ✓            | <b>✓</b>     | ✓            | ✓            |              | ✓             | ✓            |              |
|                 | 100mm   | ✓   | ✓                                   | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            | ✓            | ✓             | ✓            |              |

Once the front and rear seat heights have been selected, please use this table to determine if the front castor is compatible with the seat angle and footplate position chosen.

#### REAR SEAT-TO-FLOOR HEIGHT (RSTF)

|         | Rear Seat to Floor in mm |         |         |         |         |  |  |  |  |  |  |  |
|---------|--------------------------|---------|---------|---------|---------|--|--|--|--|--|--|--|
| 390mm   | 400mm                    | 410mm   | 420mm   | 430mm   | 440mm   |  |  |  |  |  |  |  |
| DDC0944 | DDC0945                  | DDC0946 | DDC0947 | DDC0948 | DDC0949 |  |  |  |  |  |  |  |
| 0       | 0                        | 0       | 0       | 0       | 0       |  |  |  |  |  |  |  |
| 450mm   | 460mm                    | 470mm   | 480mm   | 490mm   |         |  |  |  |  |  |  |  |
| DDC0950 | DDC0951                  | DDC0952 | DDC0953 | DDC0954 |         |  |  |  |  |  |  |  |
| 0       | 0                        | 0       | 0       | 0       |         |  |  |  |  |  |  |  |

On 75° frames, rear seat height can be from 0mm upto 70mm lower than front seat height

On 85° frames, rear seat height can be from 30mm upto 100mm lower than front seat height

#### Rear Seat Height / Rear wheel size

390mm-440mm = 22" Wheel 390mm-460mm = 24" Wheel 410mm-480mm = 25" Wheel 430mm-490mm = 26" Wheel

# LOWER LEG LENGTH (LLL)

| 380mm   |   | 390mm   |   | 400mm   |   |
|---------|---|---------|---|---------|---|
| DDC1679 | 0 | DDC1680 | 0 | DDC1681 | 0 |
| 410mm   |   | 420mm   |   | 430mm   |   |
| DDC1682 | 0 | DDC1683 | 0 | DDC1684 | 0 |
| 440mm   |   | 450mm   |   | 460mm   |   |
| DDC1685 | 0 | DDC1686 | 0 | DDC1687 | 0 |
| 470mm   | _ | 480mm   |   | 490mm   | _ |
| DDC1688 | 0 | DDC1689 | 0 | DDC1690 | 0 |
| 500mm   |   |         |   |         |   |
| DDC1691 | 0 |         |   |         |   |

Lower leg length must be measured taking away the cushion thickness

Lower leg length 380mm is only possible in combination with seat depths of 400mm and above

Lower leg length 390mm is only possible in combination with seat depths of 380mm and above

| BACKREST     |   |   |          |
|--------------|---|---|----------|
| DDC0734      | Angle adjustable, forward folding backrest with soft lock, backrest remains locked for tr   | ansportation  | •        |
| BACK UPHOLS  |   |   | •        |
| DDC0700      | Black standard light upholstery, no tension adjustment                                      | (NC: 0703,1491)   | •        |
| DDC0726      | Premium black nylon with reflective trim upholstery cover, tension adjustable back          |   | £110     |
| DDC0735      | Aero, breathable spacer upholstery with tension adjustable back                             |   | £180     |
| PUSH HANDLES |   |   |          |
| DDC0750      | Without push handles  | Not possible with back heights less than 330mm                                | <b>•</b> |
| DDC0751      | Push handles fixed short  |   | £107     |
| DDC0702      | Push handles fixed long   |   | 0        |
| DDC0703      | Height adjustable rear set, maximum height of push handles is rear seat height + 600m       | m   | £204     |
| DDC0704      | Foldable push handles   | (NC: 1491)  | £159     |
| DDC0733      | Height adjustable, integrated   | (NC: 1491)  | £176     |
| BACKREST AND | GLE (From seat rail)  |   | •        |
| DDC0713      | 76°   |   | 0        |
| DDC0714      | 80.5°   |   | 0        |
| DDC0715      | 85°   |   | •        |
| DDC0716      | 89.5°   |   | 0        |
| DDC0717      | 94°   |   | 0        |
| BACKBRACE    |   |   |          |
| DDC1491      | Backrest stabilization bar, swingaway and removable (Not compatible with Matrx back         | rests or with backrest heights lower than 405mm)                              | £132     |
| SEAT UPHOLST | TERY  |   |          |
| DDC0610      | Standard  |   | •        |
| DDC0615      | Light seat upholstery, mesh material to reduce weight                                       |   | £55      |
| CUSHION AND  | SEAT OPTIONS  |   |          |
| DDC0600      | küschall seat cushion, 60mm foam with Visco top layer                                       |   | £53      |
| DDC0662      | Matrx Libra with Black Smooth cover Very high risk pressure & positioning cushion           | Matrx Libra is compatible with seat sizes 360mm-480mm wide & 400mm-480mm deep | £319     |
| DDC0663      | Matrx Vi with Black Meshtex cover High risk pressure & positioning cushion                  | Matrx Vi is compatible with seat sizes 360mm-480mm wide & 400mm-480mm deep    | £335     |
| DDC0606      | Seat bag, click in and removable, attaches to chair using fixation clips (DDC1714)          | (NC: 1714)  | £59      |
| FOOTREST     |   |   |          |
| DDC1500      | Rigid, plastic footplate, height & angle adjustable set to the front. Note: This does not f | ip up for transfer but it folds easy for transport and storage                | 0        |
| DDC1501      | Rigid, plastic footplate, height & angle adjustable set to the rear. Note: This does not fl | p up for transfer but it folds easy for transport and storage                 | •        |
| CALF STRAP   |   |   |          |
| DDC1533      | Calf strap (Mounted on supporter)   |   | •        |
| DDC1535      | Calf strap (Mounted with hook and loop on frame)  |   | 0        |
| SIDE GUARDS  |   |   |          |
| DDC1401      | Carbon clothes guards flip back   |   | •        |
| DDC1405      | Carbon mud guards, fixed  | (NC: 1416)  | £135     |
| DDC1408      | Carbon mud guards, removable. Adds 20mm to overall width of chair                           | (NC: 1416)  | £248     |
| ARMREST      |   | ,   | 1        |
| DDC1411      | Tubular armrest. Height adjustable, removable, non-locking, swing-away & comfort pa         | dded  | £193     |
|              | Armrest height adjustable, short armpad, non locking (T arm) no sideguard included          |   | £85      |

| FRAME COL          | OUR     |  |              |
|--------------------|---------|--|--------------|
| DDC0300            |         | Glossy-Black   | 0            |
| DDC0302            |         | Royal Blue   | 0            |
| DDC0303            |         | Royal Red  | 0            |
| DDC0314            |         | Black Matt   | 0            |
| DDC0315            |         | Silver Grey  | 0            |
| DDC0366            |         | Dynamite Orange  | •            |
| DDC0365            |         | Mercury Blue   | 0            |
| DDC0368            |         | Nitro Pink   | 0            |
| DDC0367            |         | Atomic Violet  | 0            |
| DDC0369            |         | Mint Green   | 0            |
| DDC0356            |         | lvory White  | 0            |
| DDC0358            |         | Smokey Grey  | 0            |
| DDC0359            |         | Flashy Yellow  | 0            |
|                    |         | ET Consists of coloured anodising on the following parts: Starec & high performance rear wheel hubs, quick release axle button, a daptor plates & front forks. | Starec wheel |
|                    |         | ifferences are possible  |              |
| DDC0338            |         | Colour-Power-Set chrome Starec wheel rim supplied in black when Chrome CPS is selected   | £180         |
| DDC0330            |         | Colour-Power-Set techno-anthracite   | £180         |
| DDC0329            |         | Colour-Power-Set comet red   | £180         |
| DDC0339            |         | Colour-Power-Set champagne   | £180         |
| DDC0334            |         | Colour-Power-Set b-blue  | £180         |
| DDC0336            |         | Colour-Power-Set arctic blue   | £180         |
| FRONT WHE          | EL 3"   | Front castors not compatible with 530mm & 540mm front seat heights. 4" Front castors not compatible with 540mm front seat height                               |              |
| DDC0800            |         | 75mm x 25mm (3" x 1") Supersport   | 0            |
| DDC0801            |         | 100mm x 30mm (4" x 1.2") Everyday wheel with black tyre  | 0            |
| DDC0860            |         | 100mm x 30mm (4" x 1.2") Comfort wheel with black tyre   | 0            |
| DDC0809            |         | 100mm x 25mm (4" x 1") Starec black hub, black tyre  | £67          |
| DDC0861            |         | 100mm x 25mm (4" x 1") Starec chrome hub, black tyre   | £67          |
| DDC0803            |         | 100mm x 25mm (4" x 1") Starec techno-anthracite hub, black tyre  | £67          |
| DDC0808            |         | 100mm x 25mm (4" x 1") Starec comet red hub, black tyre  | £67          |
| DDC0825            |         | 100mm x 25mm (4" x 1") Starec champagne hub, black tyre  | £67          |
| DDC0807            |         | 100mm x 25mm (4" x 1") Starec b-blue hub, black tyre   | £67          |
| DDC0831            |         | 100mm x 25mm (4" x 1") Starec arctic blue hub, black tyre  | £67          |
| DDC0796            |         | 100mm x 36mm (4" x 1.4") Softroll aluminium, black hub, black tyre   | £75          |
| DDC0797            |         | 100mm x 36mm (4" x 1.4") Softroll aluminium, silver hub, black tyre  | £75          |
| DDC0810            |         | 125mm x 30mm (5" x 1.2") Everyday wheel with black tyre  | 0            |
| DDC0863            |         | 125mm x 30mm (5" x 1.2") Comfort wheel with black tyre   | •            |
| DDC0819            |         | 125mm x 25mm (5" x 1") Starec black hub, black tyre  | £67          |
| DDC0862            |         | 125mm x 25mm (5" x 1") Starec chrome hub, black tyre   | £67          |
| DDC0813            |         | 125mm x 25mm (5" x 1") Starec techno-anthracite hub, black tyre  | £67          |
| DDC0818            |         | 125mm x 25mm (5" x 1") Starec comet red hub, black tyre  | £67          |
| DDC0827            |         | 125mm x 25mm (5" x 1") Starec champagne hub, black tyre  | £67          |
| DDC0817            |         | 125mm x 25mm (5" x 1") Starec b-blue hub, black tyre   | £67          |
| DDC0832            |         | 125mm x 25mm (5" x 1") Starec arctic blue hub, black tyre  | £67          |
| DDC0798<br>DDC0799 |         | 125mm x 36mm (5" x 1.4") Softroll aluminium, black hub, black tyre  125mm x 36mm (5" x 1.4") Softroll aluminium, silver hub, black tyre                        | £75<br>£75   |
|                    | I POSIT | ION Determines centre of gravity. Position 1 is more active where Position 9 is more stable  | £15          |
| DDC0263            | - 10311 |  | 0            |
| DDC0263<br>DDC0264 |         | 1st position from the front  2nd position from the front   | 0            |
| DDC0265            |         | 3rd position from the front  | 0            |
| DDC0266            |         | 4th position from the front  |              |
| DDC0267            |         | 5th position from the front  | •            |
| DDC0268            |         | 6th position from the front  | 0            |
| DDC0269            |         | 7th position from the front  | 0            |
| DDC0259            |         | 8th position from the front  | 0            |
| DDC0260            |         | 9th position from the front  | 0            |
| QUAD RELE          |         |  |              |
| DDC0909            |         | Quad Quick Release Axle (NC: 0906, 0912)   | £69          |
| REAR WHEE          | L SIZE  |  |              |
| DDC0901            |         | 22" (NC: 0908,0912,0918,0906)  | 0            |
| DDC0902            |         | 24" (NC: 0912)   | •            |
| DDC0925            |         | 25" (NC: 0915,0908,0906)   | 0            |
| DDC0903            |         | 26" (NC: 0908,0912,0918,0906)  | 0            |
|                    |         |  |              |

| REAR WHEE  | EL CAME | BER  |      |
|------------|---------|--|------|
| DDC0282    |         | 0 Degree Camber  | •    |
| DDC0279    |         | 2 Degree Camber  | 0    |
| DDC0283    |         | 4 Degree Camber (NC: 1302)   | 0    |
| REAR WHEE  | L TYPE  |  |      |
| DDC0915    |         | 22", 24", 26" küschall Starec wheels silver cross spokes (Colourless hub & black rim. Hub & rim in CPS if selected)  | •    |
| DDC0908    |         | 24" High Performance wheel (NC: 1004) (Starec hub & rim black or hub in CPS & hub black if selected)   | £204 |
| DDC0918    |         | 25" High Performance wheel (NC: 1002,1004,1102,1104,1106,1200, (Starec hub & rim black or hub in CPS & rim black if selected) 1202,1208)   | £293 |
| DDC0906    |         | 24" Spinergy LXK wheel (Black lightweight hub, 18 spokes black, No CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space (NC: 1004,1200,1202,1208) provided at the end of the form. | £490 |
| DDC0912    |         | 25" Spinergy LXK wheel (Black lightweight hub, 18 spokes black, No CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space (NC: 1004,1200,1202,1208) provided at the end of the form. | £490 |
| SWO0907    |         | 24" or 25" Spinergy SPOX wheel (Chrome hub, 18 spokes in black, no CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space (NC: 1004,1200,1202,1208) provided at the end of the form. | £390 |
| SWO0909    |         | 24" or 25" Spinergy LX wheel (Chrome hub, 12 spokes in black no CPS). Coloured spokes are available via MyKuschall, please indicate requirements in the space (NC: 1004,1200,1202,1208) provided at the end of the form.   | £590 |
| REAR WHEE  | L TYRE  |  |      |
| DDC1014    |         | 22", 24", 25", 26" Schwalbe rightrun black & grey pneumatic tyre   | 0    |
| DDC1002    |         | 22", 24" Profile 7 bar grey pneumatic tyre   | •    |
| DDC1010    |         | 24", 25", 26" Marathon Plus, black pneumatic tyre with Smartguard. 5mm layer of protective rubber infill   | £80  |
| DDC1004    |         | 24" Solid profile tyre, grey   | £53  |
| DDC1011    |         | 24", 25" Schwalbe One V Guard, puncture resistant black pneumatic tyre   | £78  |
| HANDRIM    |         |  |      |
| DDC1102    |         | 22", 24", 26" Supergripp, long tab, 2 hole set at 3 cm distance  | £180 |
| DDC1104    |         | 24", 26" Steel polished, short tab, 1 hole set at 3 cm distance  | £50  |
| DDC1106    |         | 24" Titanium, short tab, 1 hole set at 3 cm distance   | £154 |
| DDC1121    |         | 24" Carbolife Gekko black coated (fully integrated rubber strip, extra grip) mounted at 3cm distance. 25" Gekko are available via Myküschall   | £335 |
| DDC1113    |         | 22", 24", 25" ,26" Light Alu grey, short tab, 1 hole set at 3 cm distance  | •    |
| DDC1114    |         | 22", 24", 25", 26" Light Alu grey, long tab, 2 hole set at 4 cm distance   | 0    |
| DDC1117    |         | 22", 24", 25," 26" Light Alu black, short tab, 1 hole set at 3 cm distance   | £33  |
| DDC1122    |         | 24" Carbolife Curve L black coated (unique shaped profile for low-effort grip) mounted at 3cm dist 25" Curve L are available via Myküschall  | £299 |
| SPOKE GUA  | ARDS    |  |      |
| DDC1200    |         | 22", 24", 26" Transparent  | £101 |
| DDC1202    |         | 24" Küschall Black with white logo   | £101 |
| DDC1208    |         | 24" Transparent and white with Küschall logo in black  | £101 |
| FIXATION S | TRAP    |  |      |
| DDC1722    |         | Fixation strap (Hook and loop strap under the seat holds frame together in closed position, designed for clients with limited hand function)   | 0    |
| DDC1714    |         | Fixation clip (Plastic clip on either side of the seat holds frame together in closed position)  | 0    |
| UNFOLDING  | STRAP   |  |      |
| DDC1719    | Х       | Unfolding strap (Helps to open folding mechanism from the front of the chair)  | •    |
| BRAKES     |         |  |      |
| DDC1300    |         | Push to lock brake, lever bent   | •    |
| DDC1301    |         | Push to lock brake, lever straight   | 0    |
| DDC1306    |         | Pull Brake   | £62  |
| DDC1302    |         | Performance brake (NC: 1310)   | £62  |
| DDC1303    |         | Active brake (NC: 1310)  | £62  |
| DDC1310    |         | Brake lever extension  | £40  |



DDC1702

#### DDC1300

Push to lock brake, lever bent

Anti-tipper right



#### DDC1301

ANTI-TIPPER (Maximum of 2 adaptions per side, includes Anti tippers, Tipper aid, Cane holder & Transit wheels)

Push to lock brake, lever straight



#### DDC1306

Pull to lock brake






DDC1303

Scissor/active brake

# These tables determine rear wheel position possibilities (1 to 9) in relation to brake type

|                 | Active brake with 75° or 85° front frame straight |                     |                             |  |
|-----------------|---|---------------------|-----------------------------|--|
| Rear wheel size | Seat depth<br>340mm - 400mm                       | Seat depth<br>420mm | Seat depth<br>440mm - 480mm |  |
| 22"             | 1 to 9  | 1 to 9              | 1 to 9                      |  |
| 24"             | 3 to 9  | 1 to 9              | 1 to 9                      |  |
| 25"             | 4 to 9  | 2 to 9              | 1 to 9                      |  |
| 26"             | 5 to 9  | 3 to 9              | 1 to 9                      |  |

|                 | Performance brake with 75° or 85° front frame straight |                          |  |
|-----------------|--|--------------------------|--|
| Rear wheel size | Seat depth 340mm - 400mm                               | Seat depth 420mm - 480mm |  |
| 22"             | 1 to 9   | 1 to 9                   |  |
| 24"             | 1 to 9   | 1 to 9                   |  |
| 25"             | 2 to 9   | 1 to 9                   |  |
| 26"             | 3 to 9   | 1 to 9                   |  |



| DDC 1702   |   | Anti-tipper right  | 190  |  |  |
|------------|---|--|------|--|--|
| DDC1703    |   | Anti-tipper left   | £98  |  |  |
| DDC1704    |   | Anti-tipper both sides   | £196 |  |  |
| SEAT BELT  |   |  |      |  |  |
| DDC1730    |   | Seat belt  | £59  |  |  |
| ACCESSOR   | IFS   |  |      |  |  |
| DDC1739    |   | Front frame protectors   | £30  |  |  |
|            |   |  |      |  |  |
| DDC1712    |   | Kuschall watch mounted on right  | £85  |  |  |
| DDC1713    |   | Kuschall watch mounted on left   | £85  |  |  |
| TIPPER AID |   |  |      |  |  |
| DDC1708    |   | Tipper-Aid, right  | £37  |  |  |
| CANE HOLD  | ER  |  |      |  |  |
| DDC1706    |   | Cane holder, right   | £60  |  |  |
| PUMP       | 1   |  |      |  |  |
| DDC1715    |   | Air pump   | £11  |  |  |
| TOOL KIT   |   | , · ·  |      |  |  |
| DDC1717    |   | Tool kit   | •    |  |  |
|            | NEDOD:  | T ACCESSORIES  |      |  |  |
| -          | ANSPUR  |  |      |  |  |
| DDC1728    |   | Bag for rear wheels, fits all size wheels  | £44  |  |  |
| DDC1734    |   | 24" Mountain bike wheels, fitted with specific black pneumatic tyres, grey aluminium handrim, axles and also includes wheel bag  | £250 |  |  |
| DDC1747    |   | Travel bag Can be used as a Backpack or Hold all style. The case has a zip fastener and conveniently transports the Champion SK inside whilst folded with the rear wheels strapped to the outside.  Fits all configurations although if the chair is fitted with any of the following options it will not be compatible: Fixed mudguards Fixed push handles Height adjustable push handles Matrx backrests Bag dimensions L= 795mm x W= 330mm x D= 265mm | £299 |  |  |
| PRICE      |   |  |      |  |  |
|            |   | TOTAL PRIC   | E    |  |  |
|            | Non C   | onforming Items Guide  | •    |  |  |
| DDC0282    | 0° Can  | -  |      |  |  |
| DDC0703    | Height adjustable push handles rear set                             |  |      |  |  |
| DDC0906    | 24" Spinergy LXK wheel  |  |      |  |  |
| DDC0908    |   | gh Performance wheel (Starec hub & rim black or in CPS if selected)  |      |  |  |
| DDC0912    |   | inergy LXK wheel   |      |  |  |
| DDC0915    | 22", 24   | I", 26" Kuschall starec wheels   |      |  |  |
| DDC0918    | 25" High Performance wheel (Starec hub black or in CPS if selected) |  |      |  |  |
| DDC1002    | 22", 24" Profile tyre 7 bar   |  |      |  |  |
| DDC1004    | 24" Solid tyre with profile, grey                                   |  |      |  |  |
| DDC1014    | 22", 24", 26" Schwalbe rightrun black & grey tyre                   |  |      |  |  |
| DDC1102    | 22", 24", 26" Supergripp, long tab, 2 hole set at 3 cm distance     |  |      |  |  |
| DDC1104    | 24", 26" Steel polished, short tab, 1 hole set at 3 cm distance     |  |      |  |  |
| DDC1106    | 24" Titanium, short tab, 1 hole set at 3 cm distance                |  |      |  |  |
| DDC1200    | 22", 24", 26" Transparent Spokeguards                               |  |      |  |  |
| DDC1202    |   |  |      |  |  |
| DDC1208    |   |  |      |  |  |
| DDC1302    | Performance brakes  |  |      |  |  |
| DDC1310    | Brake lever extension   |  |      |  |  |
| DDC1416    | Armrest, height adjustable, short armpad (T-Arm)                    |  |      |  |  |
| DDC1491    |   |  |      |  |  |
| DDC1714    | Fixation clip   |  |      |  |  |
|            | i industri oup  |  |      |  |  |

DDC1722 Fixation strap

# My Küschall special build instructions

|   | Please fill out the required measurements in the table if applicable and give full details of the special request in the space provided below. |
|---|--|
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
| Ξ |  |

| Customised Measurements          |  |  |  |
|----------------------------------|--|--|--|
| Seat width (SW)                  |  |  |  |
| Seat depth (SD)                  |  |  |  |
| Back Height (BH)                 |  |  |  |
| Front Seat To Floor (FSTF)       |  |  |  |
| Rear Seat To Floor (RSTF)        |  |  |  |
| Lower Leg Length (LLL)           |  |  |  |
| Backrest Angle (BA)              |  |  |  |
| Total Length/Total Width (TL/TW) |  |  |  |
| Camber                           |  |  |  |
| Client Weight                    |  |  |  |
| Client Height                    |  |  |  |

