

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com

Online Spares available at: www.invacare.co.uk

APRIL 2019

Customer Ref :	Account No :
Customer Ref.	Account No .
Contact No:	Order No :
Delivery Address :	Order Qty:
	Order Date :

Invacare FOX (Modulite™ Seating System)

Max User Weight 127Kg (20 stone)

Standard Features







- Modulite highly adjustable seating system
- Telescopic adjustable Seat Widths from 330mm 530mm (13" 21")
- Seat Depths 410mm 510mm Stepless Adjustment (16" 20")
- Tension adjustable backrest
- Standard T-armrest, detachable with Short armpads
- Manual settable seat Tilt (from 0° to 8°)
- Manual settable backrest Recline (0° 30° in 3.75° steps)
- Standard 80° Legrest hangers with fixed flip-up footplates
- · LiNX Control REM110 with standard bracket
- Choice of 5 colour options
- Solid Grey castors 200mm x 50mm (8" x 2"), Silver Rim
- Grey Drive Wheels, Puncture Proof Solid Inlay, (12 1/2" x 2 1/4"), Silver Rim (aluminium)
- 6 km/h (4mph) Motors with 40 Ah Gel Battery
- 8A (200 250V) Charger
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)
- Wheel lock / parking brake



Standard Base Price: £2,785

* Configurations may vary from the image shown

	X	Please ma	ke your sel	ection with	a cross in	the box	♦ Stand	ard feature O Free of Charge		
	Custo	mer weight =	Kg							
Code		Description							Retail	
AXB0000		Fox Basic Me	Fox Basic Model							
AXZ0000		Fox Special	Fox Special Basic Model						POA	
SEATING '	TYPE:	MODULITE	MULTI AD	JUSTABLE	SEATING :	SYSTEM				
AXB2100	Х	Modulite Sea	Modulite Seating Unit ◆							
SEAT FRAME AND SEAT PLATE										
AXB2111	Х	Telescopic Se	eat Frame with	metal seat pla	ate (with steple	ess adjustmen	it on armrests,	, legrests and backrest)	•	
	MODU	JLITE SEAT S	IZE SETTING	CHART:						
SEAT WIDTHS								Invance (All and All a	_~	
			330mm* (13")	AXB2121 380mm (15")	AXB2122 430mm (17")	AXB2123 480mm (19")	AXB2124 530mm (21")	Invacare Modulite An evolution in seating designed around you.		
	1S	AXB2132 (16") 410mm	•	•	•	•	•			
	SEAT DEPTHS	AXB2134 (18") 460mm	•	•	•	•	•			
	SE,	AXB2136 (20") 510mm	O	O	O	•	O			

*330mm (13") seat width achieved on a 380mm seat frame (2121) with inrigged armrests (2183) Seat depth 410mm; cannot combine T-Armrests (2191) with flexible lapbelt mount (2113) Modulite Teen seating available, seat width and depth from 305mm (12") - See New Form SEAT OPTION AXBSWO "H" Frame Interface Kit £395 SEAT CUSHION (sizes according to seat frame settings) AXB2142 Matrx Flo-tech Lite Cushion £99 Not available with seat width 530mm with 410mm £345 AXB2147 Matrx Libra Cushion, 90mm thick seat depth, spacer fabric upholstery AXB2140 • Without seat cushion BACKREST SUPPORT Must be selected for flex3 adjustable backrest AXB2162 Backposts 540mm (Tall) plates AXB2163 Backposts 480mm (Short) Not available with flex3 adjustable backrests 0 **PUSH HANDLES FOR BACKPOSTS** AXB2107 Backposts WITH push handles Not available with attendant controls, dual controls Backposts WITHOUT push handles AXB2108 £32 matrx backrest's, headrest 1495, tension adjustable Push handles will be cut down on the vertical section. backrest in combination with a headrest. **BACKREST UPHOLSTERY / CUSHION** Basic Tension Adjustable Backrest (540mm or 480mm upholstery height) AXB2171 Not available with laterals, headrest 1496 ٠ Straps easily accessible and adjustable from the rear, Black fabric only Flex3 Tension Adjustable (540mm - 480mm) AXB2179 Not available with laterals, soft armpad, chin remote £122 Black Dartex only Flex3 Adjustable Backrest Plates (without Backrest Cushion) £198 AXB2172 Flex3 Adjustable Backrest Plates (with Laguna Backrest Cushion) AXB2173 £321 Not available with laterals, 530mm seat width, AXB2174 Matrx Posture Back, height 400mm (Mesh fabric) £438 headrest 1496 Not available with laterals, 530mm seat width, AXB2175 Matrx Posture Back, height 500mm (Mesh fabric) £438 headrest 1496 Not available with laterals, 530mm seat width, AXB2176 Matrx Elite Back, height 500mm (Mesh fabric) headrest 1496, seat width of 380mm 2121 in £438 combination with flip up, following armrests Not available with laterals, 530mm seat width, AXB2177 Matrx Elite TR Back, height 500mm (Mesh fabric) £438 headrest 1496 AXB2178 Matrx Elite Deep Back, height 500mm (Mesh fabric) Not available with laterals, headrest 1496 £486 AXB2170 Without Backrest Upholstery Not available with laterals, headrest 1496 0 UPHOLSTERY TYPE AXB2151 Black fabric • AXB2152 Black Dartex a AXB2155 Black Spacer fabric 0 T-Armrest In-rigged armrest Long ergonomic 2191 2183 Short armpad armpad Long armpad Soft armpad ARMREST (Pair) T-Armrest Standard AXB2191 Range of adjustment from seat plate 245mm to 315mm T-Armrest Extended height AXB2181 £32 Range of adjustment from seat plate 295mm to 365mm AXB2183 In-rigged Armrests (reduces seat width by 25mm each side) £22 ARMPADS (Pair) AXB2195 Short Armpad (325mm) AXB2196 Long Armpad (375mm) Not available with seat depth 410mm 0 AXB2197 Long Ergonomic Armpad (397mm) Not available with seat depth 410mm 0 Soft Armpad (REA Azalea Wide Pad) AXB2199 £76 SEAT ACCESSORIES Elan Headrest Headrest Headrest Neckrest adjustments (with cheek support) 1432 1350 1427 Elan Elan 4 Occipital Pad Standard Pad

	HEADREST/NECKREST -	Adequate headrest option must be	selected		
AXB1350	Neckrest: height and d				£64
AXB1432	Headrest: height, dept	n and sideways adjustable			£180
AXB1427		upport: height and depth adjustable			£180
AXB2323	Elan Standard Pad 150 complete with Elan He	Omm (6") wide with standard cover adrest Hardware	Not available wit head controls	th tension adjustable backrests,	£260
AXB2324	Elan Standard Pad 255mm (10") wide with standard cover Not available with tension adjustable backrests, complete with Elan Headrest Hardware Not available with tension adjustable backrests, head controls				£260
AXB2322	·	5mm (14") wide with standard cover	Not available wit head controls	h tension adjustable backrests,	£260
AXB2325	Elan Occipital Pad 230mm x 180mm (9" x 7") with standard cover complete with Elan Headrest Hardware Not available with tension adjustable backrests, head controls				
AXB2326	Elan Occipital Pad 305mm x 200mm (12" x 8") with standard cover Not available with tension adjustable backrests, complete with Elan Headrest Hardware head controls				
AXB2327		Pad 280mm x 255mm (11" x 10") with		h tension adjustable backrests,	£350
AXB1496	· ·	1432 without Headrest cushion			0
AXB1495	Push bar dia. 22mm in Headrest - no mountin	conjunction with telescopic seat frame	e / Backposts, No Not available wii	hout push handles 2108	0
		Rigid pad 1446		Multi-adjustable pad 1445	
	LATERAL SUPPORT (Pair)				
AXB1446	Rigid pad (Azalea type	, Dartex)			£133
AXB1445	Multi-adjustable pad (A	zalea type, Dartex)			£133
EAT ADJUS	STMENTS				
	SEAT HEIGHT SETTING				1
AXB0312			m / + 30mm depending on Tilt settings)		0
AXB0344	High Seat To Floor hei	ght 510mm at 4° factory setting (- 30m	nm / + 30mm depending on Tilt settings)		0
AXB1002	X Manually settable Seat	: Tilt (0° / 2° / 4° / 6°/ 8°), Factory setti	ng: 4°		•
	BACKREST RECLINER				
AXB0975	Manual Settable Reclir	ner (0° - 30° in 3.75° steps) Foldable			•
AXB0977	Powered Recliner (0° -	30°) Foldable			£400
GREST / F	OOTREST				
		Swing away and detachable (Pair)			
AXB0526	Standard 80° hangers				•
AXB0529	Manual Elevating Legr	ests			£168
AXB0501	Without Hanger	11			0
AXB0554	AMPUTEE SUPPORTS (Rep	iaces legrest nanger)			£154
AXB0555	Amputee Support RH Amputee support LH				£154
AVD0222	FOOTPLATE TYPE (Pair)				2134
AXB0512	Fixed Angle, Flip-up Fo	potnlates			•
AXB0512 AXB0513		stable Footplates (Adapt)			£71
	• • • •	•	1 8		0.00
inx P	RIMARY CONTE	ROLS	1)(
inx P	RIMARY CONTE	ROLS		Compact Dual	
inx P	RIMARY CONTE		Dual Control C	Compact Dual Control	
inx P	Drive Only REM110	Drive & Actuators REM211			
	Drive Only REM110 LINX PRIMARY REMOTE &	Drive & Actuators REM211	Dual Control	Control	
AXB2201	PEM110 LINX PRIMARY REMOTE & B REM110 Drive only	Drive & Actuators REM211 BRACKET	Dual Control	Control	•
AXB2201 AXB2203	REM110 LINX PRIMARY REMOTE & I REM110 Drive only REM211 Drive & Actua	Drive & Actuators REM211 BRACKET	Dual Control	Control	0
AXB2201 AXB2203 AXB1207	REM110 LINX PRIMARY REMOTE & I REM110 Drive only REM211 Drive & Actual Standard Bracket RH	Drive & Actuators REM211 BRACKET	Dual Control	Control	0
AXB2201 AXB2203 AXB1207 AXB1208	REM110 LINX PRIMARY REMOTE & B REM211 Drive only REM211 Drive & Actual Standard Bracket RH Standard Bracket LH	Drive & Actuators REM211 BRACKET	Dual Control	Control	0
AXB2201 AXB2203 AXB1207 AXB1208 AXB1707	REM110 LINX PRIMARY REMOTE & B REM110 Drive only REM211 Drive & Actual Standard Bracket RH Standard Bracket LH Swing Away RH	Drive & Actuators REM211 BRACKET	Dual Control	Control	O O £105
AXB2201 AXB2203 AXB1207 AXB1208	REM110 LINX PRIMARY REMOTE & B REM211 Drive only REM211 Drive & Actual Standard Bracket RH Standard Bracket LH	Drive & Actuators REM211 BRACKET	Dual Control	Control	0

£50

AXB2228

Bracket LH mounted for Attendant

AXB2220	LINX DUAL CONTROL & BRACKET: CAN ONLY BE SELECTED IN ADDITION TO LINX USER CONTROL Dual Control REM050 Drive only	£313
AXB2220	Compact Dual Control (ACU200) Not available with REM110 drive only remote	£313
AXB1207	Standard Bracket RH	2313
AXB1207 AXB1208	Standard Bracket LH	-
NEV	3" U-Shape NEW 4" U-Shape NEW Rubber dome NEW Grooved Mushroom	
76mm (3*)	100mm (4") Can be cut to size	
V	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
	BODYPOINT JOYSTICK KNOBS NEW!	
AXB2721	3" wide U-Shaped, Joystick Handle	£57
AXB2722	4" wide U-Shaped, Joystick Handle	£57
AXB2723	Wide Rubber Dome, Joystick Handle	£57
AXB2724	Grooved Mushroom Joystick Handle	£57
RIVE UNIT	PTIONS PTIONS	
	WHEELBASE SETTING	
AXB1226	X Recommended factory setting, based on seat depth and seat to floor height Wheel setting positions can be changed as desired after performing the appropriate risk assessment SHROUD COLOUR	•
AXB0201	Pearl Night Blue	0
AXB0201	Metallic Silver	0
AXB0233	Silky Matt Black	0
AXB0228 AXB0204	Transparent Cherry Red	<u> </u>
AXB0204	White	
WD0757	CASTORS	
AXB0802	Castor Grey 200mm x 50mm (8" x 2") PU Tyre, Black Rim	0
AXB0803	Castor Grey 200mm x 50mm (8" x 2") Solid Inlay, Silver Rim	
-XD0003	DRIVE WHEELS	
AXB0709	Drive Wheel Grey, Puncture Proof Solid Inlay, (12 1/2" * 2 1/4"), Black Rim (plastic)	<u> </u>
AXB0710	Drive Wheel Grey, Puncture Proof Solid Inlay, (12 1/2" * 2 1/4"), Silver Rim (aluminium)	•
	CE OPTIONS	
	MOTOR TYPE	
AXB1294	3 km/h (2mph)	0
AXB1282	6 km/h (4mph)	•
	BATTERY	
AXB1248	50 Ah AGM	£30
AXB1255	40 Ah Gel	
		•
REURIVA	CE ACCESSORIES	*
-RFURMAI	CE ACCESSORIES CHARGER	*
	CHARGER	* *
AXB1343		
AXB1343 AXB1313	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster	•
AXB1343 AXB1313	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster	•
AXB1343 AXB1313 AFETY ACC	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES	•
AXB1343 AXB1313 AFETY ACC	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE	♦
AXB1343 AXB1313 AFETY ACC AXB1206	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks	♦ £120
AXB1343 AXB1313 AFETY ACC AXB1206	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER	♦
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001)	♦ £120
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended)	◆ £120 ◆
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT	£120 £168
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock	◆ £120 ◆
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494 AXB1329	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock BODY POINT PELVIC BELTS (Includes mounting kit)	£120 £168
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494 AXB1329	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock	£120 £168
AXB1343 AXB1313 AXB1206 AXB1244 AXB1494 AXB1329 AXB2701	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock BODYPOINT PELVIC BELTS (Includes mounting kit) Evoflex Pelvic Stabilizer, Rehab Latch size L (padded length 620mm) Location of the seat width 480mm, 430mm, seat depth 410mm, hip supports Evoflex Pelvic Stabilizer, Rehab Latch size M Not available seat width 480mm, 530mm, seat	£120 £168
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494 AXB1329 AXB2701 AXB2702	OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock BODYPOINT PELVIC BELTS (Includes mounting kit) Evoflex Pelvic Stabilizer, Rehab Latch size L (padded length 620mm) (padded length 460mm) depth 410mm, hip supports (2-Point Hip Belt, Centre pull - push button, Cinch mount size L Not available with seat width 380mm, 430mm, seat (padded length 460mm) depth 410mm, hip supports	£168 £175
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494 AXB1329 AXB2701 AXB2702 AXB2703	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider TRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock BODYPOINT PELVIC BELTS (Includes mounting kit) Evoflex Pelvic Stabilizer, Rehab Latch size L (padded length 620mm) Evoflex Pelvic Stabilizer, Rehab Latch size M (padded length 460mm) 2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm) 4-Point Hip Belt, Centre pull - push button, Cinch mount size M Not available with seat width 380mm, 430mm, seat depth 410mm, hip supports 4-Point Hip Belt, Centre pull - push button, Cinch mount size M Not available with seat width 380mm, 430mm, seat depth 410mm, hip supports 4-Point Hip Belt, Centre pull - push button, Cinch mount size M Not available seat width 480mm, 530mm, seat	£120 £168 £175 £75
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494 AXB1329 AXB2701 AXB2702 AXB2703 AXB2704	CHARGER OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster ESSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider ITRANSPORTATION KIT X (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock BODYPOINT PELVIC BELTS (Includes mounting kit) Evoflex Pelvic Stabilizer, Rehab Latch size L (padded length 620mm) Evoflex Pelvic Stabilizer, Rehab Latch size M (padded length 440mm, hip supports Lap Center of the pull - push button, Cinch mount size L (padded length 420mm), hip supports 2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm) depth 410mm, hip supports And available with seat width 380mm, 430mm, seat depth 410mm, hip supports And available with seat width 380mm, 430mm, seat depth 410mm, hip supports And available with seat width 380mm, 430mm, seat depth 410mm, hip supports And available with seat width 380mm, 430mm, seat depth 410mm, hip supports And available with seat width 380mm, 430mm, seat depth 410mm, hip supports	£168 £168 £275 £75 £69
AXB1343 AXB1313 AFETY ACC AXB1206 AXB1244 AXB1494 AXB1329 AXB2701 AXB2702 AXB2703	OptiCharge Charger 8A (200 - 250V) OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster SSORIES WHEEL LOCK / PARKING BRAKE X Manual Wheel Locks KERB RIDER Kerbrider IRANSPORTATION KIT X 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended) LAP BELT Lap Belt with Auto-Lock BODYPOINT PELVIC BELTS (Includes mounting kit) Evoflex Pelvic Stabilizer, Rehab Latch size L (padded length 620mm) Evoflex Pelvic Stabilizer, Rehab Latch size M (padded length 460mm) 2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm) Available with seat width 380mm, 430mm, seat depth 410mm, hip supports 2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm) Available seat width 380mm, 430mm, seat depth 410mm, hip supports Point Hip Belt, Centre pull - push button, Cinch mount size M (padded length 460mm) Available seat width 480mm, 530mm, seat depth 410mm, hip supports Point Hip Belt, Centre pull - push button, Cinch mount size M (padded length 460mm) Available seat width 480mm, 530mm, seat depth 410mm, hip supports Point Hip Belt, Centre pull - push button, Cinch mount size M (padded length 460mm) Available seat width 480mm, 530mm, seat depth 410mm, hip supports	£120 £168 £168 £275 £75 £69

ACCESSORIES **BAG HOOKS** Not available with flex3 backrest 2172 / 2173, AXB2128 Bag hooks (Max load up to 6 kg = impact on max user weight) £61 attendant brackets, dual controls CANE HOLDER £33 AXB1312 Cane holder RH AXB1363 Cane holder LH £33 TRAY - mounted opposite side to controller £175 AXB1404 Tray, Swing Away RH AXB1405 Tray, Swing Away LH £175 CASTOR LOCKS Castor Lock Levers AXB1490 £26



For a more complex customer requirement, please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Total Price:

5	pecial	Instructions -	Please supply	y the follo	wing information:

Name: Email:

Phone: Fax:

Description of special request (please include relevant option code or part number):