

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

APRIL 2019

Customer Ref :	Account No :
Contact No :	Order No :
Delivery Address :	Order Qty :
	Order Date :



Pronto M41 Retail

Standard Seating

Max user weight 136kg (21.4 stone)

Standard Features




- Standard Seating System
- Adjustable Seat Widths from 440mm - 480mm (17" - 19")
- Adjustable Seat Depth Set at 460mm (410mm - 510mm) (16", 18" or 20")
- Backrest Height 480mm or 540mm (19" - 21.25")
- Black Nylon Tension Adjustable Backrest Upholstery
- Detachable and height adjustable armrest assembly with extended armpad
- Choice of 5 Seat Heights 455mm - 555mm (18" - 22")
- Manually settable backrest Recline
- Adjustable flip-up centre footboard
- Shark2 REM D01 control with standard bracket
- Candy Red Shrouds
- 255mm x 80mm (10" x 3") Solid Insert / Puncture Proof Grey Drive Wheels
- 6 km/h (4mph) Motors and 35Ah AGM Batteries
- 8A (200-250V) Charger
- 4 Point tie down system



Standard Base Price: £1,990

* Configurations may vary from the image shown

	X	Please make your selection with a cross in the box	◆ Standard feature	○ Free of Charge
Customer weight = Kg				
Code		Description		Retail
AQB0000		Pronto M41 Basic Model	◆	
AQZ0000		Pronto M41 Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM		POA
SEATING TYPE				
AQB1150	x	Standard Seat Unit		£1,990
SEAT WIDTH & SEAT CUSHION				
AQB0343		Seat Width of Seat Frame 440mm - 480mm (17" - 19")	◆	
AQB1336		Seat Cushion (width 430mm, 50mm thick)	◆	
SEAT DEPTH				
AQB0327	x	460mm (adjustable to 410mm or 510mm) (16", 18" or 20")	◆	
BACKREST HEIGHT (without Seat Cushion)				
AQB0448		480mm (19")	◆	
AQB0454		540mm (21.25")	○	
BACK CUSHION				
AQB1178	x	Tension Adjustable (Black Nylon)	◆	
UPHOLSTERY TYPE				
AQB0268	x	Upholstery colour Black (Nylon)	◆	

ARMREST (Pair)			
AQB0606	x	Detachable Armrest, height adjustable (290mm - 360mm without seat cushion)	◆
ARMPADS (Pair)			
AQB0649	x	Armpad extended (+ 50mm)	◆
SEAT ACCESSORIES			
HEADREST / NECKREST (Dartex) - Adequate headrest option must be selected			
AQB1432		Headrest : Depth, Width and Height adjustable	£176
AQB1495		Push bar dia. 22mm in conjunction with telescopic seat frame / backposts, No Headrest - no mounting hardware.	○
SEAT HEIGHT			
AQB0325		455mm (18")	○
AQB0339		480mm (19")	○
AQB0387		505mm (20")	○
AQB0338		530mm (21")	○
AQB0389		555mm (22")	○
SEAT ADJUSTMENTS			
BACKREST RECLINER			
AQB0959	x	Manual settable reclining angle by hand screws (4°/14°/21.5°/29°/36.5°/44°)	◆
CENTRE MOUNTED LEGREST			
CENTRE MOUNTED FIXED FOOTBOARD			
AQB0595	x	Adjustable flip-up footboard (no hangers)	◆
CONTROL OPTION			
REMOTE & BRACKET			
AQB1801	x	Standard Remote Shark 2 REM D01	◆
AQB1207		Standard Bracket RH	○
AQB1208		Standard Bracket LH	○
AQB1707		Swing Away and Height Adjustable Bracket RH	£105
AQB1708		Swing Away and Height Adjustable Bracket LH	£105
DRIVE UNIT OPTIONS			
SHROUD COVER COLOUR			
AQB0227	x	Candy Red	◆
WHEELS			
AQB0781	x	Centre Wheel 255mm x 80mm (10" - 3") Solid Insert / Puncture Proof Grey	◆
PERFORMANCE OPTIONS			
AQB1294		Motor type 3 km/h (2mph)	○
AQB1282		Motor type 6 km/h (4mph)	◆
AQB1261	x	Battery 35Ah AGM pair	◆
CHARGER			
AQB1343		OptiCharge Charger 8A (200 - 250V)	◆
AQB1313		OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster	£120
SAFETY OPTIONS			
TRANSPORTATION KIT			
AQB1494	x	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)	◆
FIXATION BELT			
AQB1329	x	Metal Buckle Lap Belt (Adjustable from Both Sides)	◆
			Total Price
 <p>Need a different option not on the form? Take a look at our Powerchair Alternative Options form, available as standard Powerchair Alternative Option required:</p>			



For a more complex customer requirement,
please refer to our Invacare Unique special order form.
email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions - Please supply the following information:

Name:

Email:

Phone:

Fax:

Description of special request (please include relevant option code or part numbers):