

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online spares available at: www.invacare.co.uk

April 2019

Customer Ref:	Account No :
Contact No:	Order No :
Delivery address :	Order Qty :
	Order Date :

Invacare® XLT Fixed Frame
RETAIL
Maximum user weight 135 Kg (21 Stone)

Standard Features

Lightweight Titanium Rigid Frame with Rigid Footrest Tube
Active 75° Front Frame Angle
Choice of 6 Seat Widths 355mm - 480mm (14" - 19")
Choice of 3 Adjustable Seat Depths 360mm - 500mm (14" - 20")
Lockdown Folding Backrest, Angle Adjustable, Tension Adjustable Upholstery
Removable Sideguards
Choice of 6 Frame Colours
Self Propel with 22" & 24" Quick Release Rear Wheels
Standard Brake Lever Bent



Standard Base Price £1,588

	X	Please make your selection with a cross in the box	◆ Standard feature	○ Free of Charge
		Customer weight =	Kg	
Code		Description		Retail
BPA0010		Invacare ® XLT		£1,588
BPZ0010		Invacare ® XLT Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM		POA
Propulsion Type				
BPA0020		Standard wheel hub		◆
BPA0030		Assistant manoeuvred drumbrakes	(NC:0400,0680,0830,0840,0850,0900,1390,1400,1430,1490,1590,1820)	£256
BPA0040		One arm drive LH	(NC:0300,0310,0400,1370,1390,1400,1430,1440,1470,1490,1500,1510,1520,1530,1540,1560,1570,1590,1600,1650,1670,1701,1711,1770,1780,1820)	£353
BPA0050		One arm drive RH	(NC:0300,0310,0400,1370,1390,1400,1430,1440,1470,1490,1500,1510,1520,1530,1540,1560,1570,1590,1600,1640,1680,1701,1711,1770,1780,1820)	£353
Frame Type (IMPORTANT ! PLEASE SEE CASTOR TABLE GUIDE ON LAST PAGE)				
BPA0060		Active frame, knee angle 75°		◆
BPA0070		Dynamic frame, knee angle 90°	(NC:0280,0290,0620,0630,0640,1300,1315,1320,1340)	£96
SEAT WIDTH (SW)				
BPA0080		Seat width 355 mm	(NC: 1640,1650,1820)	○
BPA0090		Seat width 380 mm		○
BPA0100		Seat width 405 mm		○
BPA0110		Seat width 430 mm		○
BPA0120		Seat width 455 mm		○
BPA0130		Seat width 480 mm		○
SEAT DEPTH (SD)				
BPA0140		400 mm	Adjustable from seat depth 360 - 400mm	◆
BPA0150		450 mm	Adjustable from seat depth 410 - 450mm	○
BPA0160		500 mm	Adjustable from seat depth 460 - 500mm	○
FRONT SEAT TO FLOOR HEIGHT (IMPORTANT ! PLEASE SEE CASTOR TABLE GUIDE ON LAST PAGE)				
BPA0170		400mm	(NC: 0330,0340,0350,0360,0370,0380,0390,0400,0530,0540,0550,0560,0570,0580,0590,0600,0610,0620,0630,0640)	○
BPA0180		410mm	(NC: 0340,0350,0360,0370,0380,0390,0400,0540,0550,0560,0570,0580,0590,0600,0610,0620,0630, 0640)	○
BPA0190		420mm	(NC: 0350,0360,0370,0380,0390,0400,0550,0560,0570,0580,0590,0600,0610,0620,0630,0640)	○
BPA0200		430mm	(NC: 0360,0370,0380,0390,0400,0560,0570,0580,0590,0600,0610,0620,0630,0640)	○

BPA0210		440mm	(NC: 0370,0380,0390,0400,0570,0580,0590,0600,0610,0620,0630,0640)	○
BPA0220		450mm	(NC: 0380,0390,0400,0580,0590,0600,0610,0620,0630,0640)	○
BPA0230		460mm	(NC: 0390,0400,0590,0600,0610,0620,0630,0640,1270,1280,1290,1315,1320,1340)	○
BPA0240		470mm	(NC: 0300,0400,0600,0610,0620,0630,0640)	○
BPA0250		480mm	(NC: 0300,0310,0610,0620,0630,0640)	◆
BPA0260		490mm	(NC: 0300,0310,0320,0620,0630,0640)	○
BPA0270		500mm	(NC: 0300,0310,0320,0330,0340,0630,0640)	○
BPA0280		510mm	(NC: 0300,0310,0320,0330,0340,0640)	○
BPA0290		520mm	(NC: 0300,0310,0320,0330,0340,0350)	○
REAR SEAT-TO-FLOOR				
BPA0300		380 mm	(NC: 1380,1390,1400,1430)	○
BPA0310		390 mm	(NC: 1380,1390,1400,1430)	○
BPA0320		400 mm	(NC: 1430)	○
BPA0330		410 mm		○
BPA0340		420 mm		○
BPA0350		430 mm		○
BPA0360		440 mm		◆
BPA0370		450 mm	(NC: 1370)	○
BPA0380		460 mm	(NC: 1370)	○
BPA0390		470 mm	(NC: 1370)	○
BPA0400		480 mm	(NC: 1370,1380,1390,1400)	○
KNEE-TO-HEEL LENGTH (UL) (SEAT CANVAS TO FOOTPLATE LENGTH)				
FOOTPLATE HIGH MOUNTED				
BPA0430		270 mm	(NC: 0970,0980)	£83
BPA0440		280 mm	(NC: 0970,0980)	£83
BPA0450		290 mm	(NC: 0970,0980)	£83
BPA0460		300 mm	(NC: 0970,0980)	£83
BPA0470		310 mm	(NC: 0970,0980)	£83
BPA0480		320 mm	(NC: 0970,0980)	£83
BPA0490		330 mm	(NC: 0970,0980)	£83
BPA0500		340 mm	(NC: 0970,0980)	£83
BPA0510		350 mm	(NC: 0970,0980)	£83
KNEE-TO-HEEL LENGTH (UL) (SEAT CANVAS TO FOOTPLATE LENGTH)				
STANDARD FOOTPLATE				
BPA0520		360 mm (Active frame only available with Footrest high mounted)		○
BPA0530		370 mm (Active frame only available with Footrest high mounted)		○
BPA0540		380 mm	(NC: 1000)	○
BPA0550		390 mm	(NC: 1000)	○
BPA0560		400 mm	(NC: 1000)	○
BPA0570		410 mm	(NC: 1000)	○
BPA0580		420 mm	(NC: 1000)	○
BPA0590		430 mm	(NC: 1000)	◆
BPA0600		440 mm	(NC: 1000)	○
BPA0610		450 mm	(NC: 1000)	○
BPA0620		460 mm (Only available with Active frame)	(NC: 1000)	○
BPA0630		470 mm (Only available with Active frame)	(NC: 1000)	○
BPA0640		480 mm (Only available with Active frame)	(NC: 1000)	○
BACKREST LOCKDOWN FOLDING				
BACKREST TYPE / HOOK AND LOOP TENSION ADJUSTABLE				
BPA0650		Fixed height, angle adj, with bent backrest tubes	(NC: 0720,0730,0740,0750,0760,0770,0780,0790,0800,0810,0820,	◆
BPA0655		Fixed Height, angle adj, with straight backrest tubes	(NC: 0720,0730,0740,0750,0760,0770,0780,0790,0800,0810,0820,	○
BPA0660		Height & angle adjustable, with bent backrest tubes	(NC: 0680,0690,0700,0710)	○
BPA0663		Height & angle adjustable, with straight backrest tubes	(NC: 0680,0690,0700,0710)	○
BACKREST HEIGHT (PLEASE NOTE THE XLT CANNOT BE USED AS A SEAT DURING TRANSPORTATION IF THE BACK HEIGHT IS LOWER THAN 400MM)				
IMPORTANT NOTE: IT IS RECOMMENDED THAT A HEADREST IS FITTED DURING TRANSPORTATION				
FIXED BACKREST HEIGHT				
BPA0680		200 mm	(NC: 0850,0860,0870,0880)	○
BPA0690		250 mm		○
BPA0700		300 mm		◆
BPA0710		350 mm		○

HEIGHT ADJUSTABLE BACKREST HEIGHT			
BPA0720		300mm (set at 300mm)	Adjustable between 300mm - 320mm in 20mm increments
BPA0730		320mm (set at 320mm)	Adjustable between 300mm - 320mm in 20mm increments
BPA0740		350mm (set at 350mm)	Adjustable between 350mm - 390mm in 20mm increments
BPA0750		370mm (set at 370mm)	Adjustable between 350mm - 390mm in 20mm increments
BPA0760		390mm (set at 390mm)	Adjustable between 350mm - 390mm in 20mm increments
BPA0770		400mm (set at 400mm)	Adjustable between 400mm - 440mm in 20mm increments
BPA0780		420mm (set at 420mm)	Adjustable between 400mm - 440mm in 20mm increments
BPA0790		440mm (set at 440mm)	Adjustable between 400mm - 440mm in 20mm increments
BPA0800		450mm (set at 450mm)	Adjustable between 450mm - 490mm in 20mm increments
BPA0810		470mm (set at 470mm)	Adjustable between 450mm - 490mm in 20mm increments
BPA0820		490mm (set at 490mm)	Adjustable between 450mm - 490mm in 20mm increments
PUSH HANDLES			
BPA0830		Fixed push handles	◆
BPA0840		Foldable push handles	£142
BPA0850		Height adjustable push handles, external, short grip	£51
BPA0860		Height adjustable push handles, external, long grip for drum brakes	£51
BPA0870		Height adjustable push handles, external, including neckrest, and long grip for drumbrakes	£84
BPA0880		Height adjustable push handles, external, including headrest, and long grip for drumbrakes	£106
BPA0900		Without push handles	○
SEAT TYPE			
BPA0910		Hook and look tension and depth adjustable	◆
SEAT CUSHIONS			
BPA0930		Standard seat cushion	◆
FOOTREST			
BPA0970		Foot tube, rigid	◆
BPA0980		Foot tube, rigid with footplate cover	£12
BPA1000		Footrest, high mounted, for knee to heel length 270 to 370 mm	£25
ARMRESTS/ SIDE GUARD LH TYPE			
BPA1010		Sideguard, removable, LH	◆
BPA1020		Mudguard, removable, LH (NC: 1570)	£43
BPA1030		Armrest height adjustable, short pad (280 mm), LH	£36
BPA1040		Armrest height adjustable, long pad (380 mm), LH	£36
BPA1050		Armrest Flip-up, height adjustable, short pad (280 mm), LH (NC: 1690)	£36
BPA1060		Armrest Flip-up, height adjustable, long pad (380 mm), LH (NC: 1690)	£43
ARMRESTS/ SIDE GUARD RH TYPE			
BPA1090		Side guard, removable, RH	◆
BPA1100		Mudguard, removable, RH (NC: 1570)	£43
BPA1110		Armrest height adjustable, short pad (280 mm), RH	£36
BPA1120		Armrest height adjustable, long pad (380 mm), RH	£36
BPA1130		Armrest Flip-up, height adjustable, short pad (280 mm), RH (NC: 1690)	£36
BPA1140		Armrest Flip-up, height adjustable, long pad (380 mm), RH (NC: 1690)	£43
FRAME			
FRAME COLOUR			
BPA1200		Anthracite Black	○
BPA1210		Grey	○
BPA1220		Blue	○
BPA1230		Red	○
BPA1240		Orange	○
BPA1250		Blasted Titanium	○
CASTOR ATTACHMENT TYPE			
BPA1260	X	Bearing block with angle adjustment	◆
FRONT CASTORS: 75mm (3") to 125mm (5") possible on Dynamic frame. 75mm (3") to 180 mm (7") possible on Active frame.			
BPA1270		75x24mm hard (3")	○
BPA1280		100x27mm medium hard (4")	◆
BPA1290		125x27mm medium hard (5")	○
BPA1300		140x40mm soft (5,5")	○
BPA1315		150x30mm medium hard (6")	○
BPA1320		150x30mm soft (6")	○
BPA1340		180x40mm soft (7")	○
FORKS			
BPA1360	X	Fixed steps	◆

REAR WHEEL SIZE / TYPE (PLEASE NOTE COST OF MARATHON TYRE NEEDS TO BE ADDED TO OPTION BPA1400)			
BPA1370	559mm (22") Standard	(NC: 1490,1510,1530,1540,1820)	○
BPA1380	609mm (24") Standard		◆
BPA1390	609mm (24") Sporty, low profile (24x1") complete wheel with aluminium handrim and specific pneumatic tyre	(NC:1440,1450,1460,1470,1490,1510,1520,1530,1540,1600,1820)	○
BPA1400	609mm (24") Sporty, low profile (24x1") complete wheel with aluminium handrim and marathon evolution tyre	(NC:1440,1450,1460,1470,1510,1520,1530,1540,1600,1820)	£72
BPA1430	660mm (26") Low profile (26x1") complete wheel with aluminium handrim and specific pneumatic tyre	(NC:1450,1460,1470,1490,1510,1520,1530,1540,1600,1820)	£66
REAR WHEEL TYRE (For 559mm (22") & 609mm (24") Standard wheels only)			
BPA1440	Pneumatic non marking		○
BPA1450	Pneumatic profiled		○
BPA1460	Solid		◆
BPA1470	Puncture proof		○
BPA1490	Black marathon evolution tyre 6 -10 Bar		£72
HANDRIM TYPE (For 559mm (22") and 609mm (24") standard rear wheels only)			
BPA1500	Handrim aluminium		◆
BPA1510	Handrim stainless		○
BPA1520	Handrim plastic coated		£25
BPA1530	Handrim foam coated		£25
BPA1540	Handrim black grip		£25
REAR WHEEL FIXATION			
BPA1560	Standard rear wheel fixation		◆
BPA1570	Rear wheel extension	(NC: 1590,1620,1630,1700,1710,1820)	○
CAMBER ANGLE			
BPA1580	0° camber		◆
BPA1590	3° camber	(NC: 1820)	○
WHEEL OPTIONS			
BPA1600	Spoke guard Frost (For 559mm (22") and 609mm (24") standard rear wheels only)		£43
SAFETY			
BRAKES			
BPA1610	Standard brake lever bent		◆
BPA1620	Performance brake	(NC: 1670,1680,1820)	£53
BPA1630	Active brake	(NC: 1670,1680,1820)	£53
BPA1640	One arm drive brake, including brake lever extension LH	(NC: 1670,1680)	£121
BPA1650	One arm drive brake, including brake lever extension RH	(NC: 1670,1680)	£121
SAFETY OPTIONS			
BPA1660	Pelvic belt		○
BPA1670	Brake lever extension, fold away, LH		£12
BPA1680	Brake lever extension, fold away, RH		£12
BPA1690	Auto lock for armrest		£9
BPA1700	Anti-tip devices, swing away, LH (For safety, 2 anti-tips are recommended)	(NC: 1711,1770)	£33
BPA1701	Anti-tip devices, extended, LH (For safety, 2 anti-tips are recommended)	(NC: 1710,1790)	£33
BPA1710	Anti-tip devices, swing away, RH (For safety, 2 anti-tips are recommended)	(NC: 1780)	£33
BPA1711	Anti-tip devices, extended, RH (For safety, 2 anti-tips are recommended)	(NC: 1800)	£33
BPA1720	Reflectors kit (wheels and chassis)		£9
ACCESSORIES			
BPA1760	Pump (Please note: Pump will inflate to 5 Bar, not for use with Marathon Evolution Tyre)		£12
BPA1770	Cane holder, LH		£17
BPA1780	Cane holder, RH		£17
BPA1790	Step tube / Tipper aid, LH		£17
BPA1800	Step tube / Tipper aid, RH		£17
BPA1810	Tool kit		◆
BPA1815	Frame protectors		£25
Note for E Motion plate: Standard wheels will be supplied, but if standard wheels are to be used in addition to E-Motion wheels, an axle conversion kit will be required in order for standard wheels to be fitted. See Alber order form for details.			
BPA1820	E-Motion adaptor plate		£182
PRICE			
Total Price			£

Non Conforming Options	
BPA0280	Front seat to floor 510mm
BPA0290	Front seat to floor 520mm
BPA0300	Rear seat to floor 380mm
BPA0310	Rear seat to floor 390mm
BPA0320	Rear seat to floor 400mm
BPA0330	Rear seat to floor 410mm
BPA0340	Rear seat to floor 420mm
BPA0350	Rear seat to floor 430mm
BPA0360	Rear seat to floor 440mm
BPA0370	Rear seat to floor 450mm
BPA0380	Rear seat to floor 460mm
BPA0390	Rear seat to floor 470mm
BPA0400	Rear seat to floor 480mm
BPA0530	Knee to heel 370mm
BPA0540	Knee to heel 380mm
BPA0550	Knee to heel 390mm
BPA0560	Knee to heel 400mm
BPA0570	Knee to heel 410mm
BPA0580	Knee to heel 420mm
BPA0590	Knee to heel 430mm
BPA0600	Knee to heel 440mm
BPA0610	Knee to heel 450mm
BPA0620	Knee to heel 460mm
BPA0630	Knee to heel 470mm
BPA0640	Knee to heel 480mm
BPA0680	200mm Fixed back
BPA0690	250mm Fixed back
BPA0700	300mm Fixed back
BPA0710	350mm Fixed back
BPA0720	300mm Height adjustable back (set at 300mm)
BPA0730	320mm Height adjustable back (set at 320mm)
BPA0740	350mm Height adjustable back (set at 350mm)
BPA0750	370mm Height adjustable back (set at 370mm)
BPA0760	390mm Height adjustable back (set at 390mm)
BPA0770	400mm Height adjustable back (set at 400mm)
BPA0780	420mm Height adjustable back (set at 420mm)
BPA0790	440mm Height adjustable back (set at 440mm)
BPA0800	450mm Height adjustable back (set at 450mm)
BPA0810	470mm Height adjustable back (set at 470mm)
BPA0820	490mm Height adjustable back (set at 490mm)
BPA0830	Fixed push handles
BPA0840	Foldable push handles
BPA0850	Height adj push handles short grip
BPA0860	Height adjustable push handles long grip for drum brakes
BPA0870	Height adj push handles including neckrest long grip
BPA0880	Height adj push handles including headrest long grip
BPA0900	Without push handles
BPA0970	Foot tube rigid
BPA0980	Foot tube rigid with footplate cover
BPA1000	Footrest high mounted for knee to heel 270 - 370mm
BPA1270	75x24mm hard castor (3")
BPA1280	100x27mm medium hard castor (4")
BPA1290	125x27mm medium hard castor (5")
BPA1300	140x37 soft castor (5,5")
BPA1315	150x30 medium hard castor (6")
BPA1320	150x30 soft castor (6")
BPA1340	180x40 soft castor (7")
BPA1370	22" Standard wheel
BPA1380	24" Standard wheel
BPA1390	24" Sporty wheel pneu tyre
BPA1400	24" Sporty wheel marathon evolution tyre
BPA1430	26" low profile wheel
BPA1440	Pneumatic tyres non-marking
BPA1450	Pneumatic profiled tyres

Non Conforming Options	
BPA1460	Solid tyres
BPA1470	Puncture proof tyres
BPA1490	Tyres black marathon evolution
BPA1500	Aluminium handrim
BPA1510	Handrim stainless
BPA1520	Plastic coated handrim
BPA1530	Handrim foam coated
BPA1540	Handrim black grip
BPA1560	Standard rear wheel fixation
BPA1570	Rear wheel extension
BPA1590	3 Degree camber
BPA1600	Spokeguard frost
BPA1620	Performance brake
BPA1630	Active brake
BPA1640	OAD brake LH
BPA1650	OAD brake RH
BPA1670	Brake lever extension fold away LH
BPA1680	Brake lever extension fold away RH
BPA1690	Auto lock for armrest
BPA1700	Anti-Tip devices swingaway LH
BPA1701	Anti-Tip devices extended LH
BPA1710	Anti-Tip devices swingaway RH
BPA1711	Anti-Tip devices extended RH
BPA1770	Cane holder LH
BPA1780	Cane holder RH
BPA1790	Step tube LH
BPA1800	Step tube RH
BPA1820	E Motion mounting bracket

REAR SEAT TO FLOOR / REAR WHEEL SIZE

22" : 380-450 mm

24" : 400-470 mm

26" : 410-480 mm

**FRONT SEAT TO FLOOR
HEIGHT WITH ACTIVE
FRAME CASTOR SIZE**

3" : 400-480 mm

4" : 410-490 mm

5" : 430-510 mm

5,5" : 440-510 mm

6" : 450-520 mm

7" : 480-520 mm

**FRONT SEAT TO FLOOR HEIGHT WITH
DYNAMIC FRAME CASTOR SIZE**

3" : 400-480 mm

4" : 410-490 mm

5" : 430-500 mm

Backrest height

Fixed	Height adjustable
200 mm	300-320 mm (20 mm step)
250 mm	350-390 mm (20 mm steps)
300 mm	400-440 mm (20 mm steps)
350 mm	450-490 mm (20 mm steps)



Please refer to our Invacare Unique special order form, for more complex custom requirements.
Available at www.invacare.co.uk

Special Instructions - Please supply the following information:

Name:

Email:

Phone:

Fax:

Description of special request (please include relevant option code or part number):